DATE: [redacted] 97 2 Sept 97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
8N-4	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
		W.M.		TG								
9N-4	TIME	10:25 am	TIME	9:51 am	TIME		TIME		TIME		TIME	
	FLOW	922	FLOW	863	FLOW		FLOW		FLOW		FLOW	
	CH4	40	CH4	50%	CH4		CH4		CH4		CH4	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
		W.M										
DW-1	TIME	5:38 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	150 after under	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	20	CH4		CH4		CH4		CH4		CH4	
DW-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7LH	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
		W.M.										
6HLG	TIME	12:05 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	1055	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

FIELD GAS DAILY LOG

DATE: 3 [redacted] 97 4 Sept 97

9N-1	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	10:45 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	582	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	29	CH4		CH4		CH4		CH4		CH4		CH4		
8N-4	BY:		BY:		BY:		BY:		BY:		BY:		BY:		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
9N-1	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	10:32 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	896	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	40	CH4		CH4		CH4		CH4		CH4		CH4		
9N-2	BY:		BY:		BY:		BY:		BY:		BY:		BY:		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
9N-4	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	11:04 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	848	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	35	CH4		CH4		CH4		CH4		CH4		CH4		
K-3	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	4:15 Pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		
DW-1	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	12:22 Pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	444MCFD	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
DW-2	BY:		BY:		BY:		BY:		BY:		BY:		BY:		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
7KH-2	BY:		BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	9:05	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	1065	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	[illegible]	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	1.5	VAC		VAC		VAC		VAC		VAC		VAC		
7KH-3	BY:	W.M.	BY:	J.O.	BY:	J.L.	BY:		BY:		BY:		BY:		
	TIME	8:04 Pm	TIME	1:09 Pm	TIME	4:09 Pm	TIME		TIME		TIME		TIME		
	MCFD	1210	MCFD		MCFD	1231	MCFD		MCFD		MCFD		MCFD		
	SUCTION	—	SUCTION	0/55 psig 58	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	3.0	VAC	3	VAC		VAC		VAC		VAC		VAC		
7LH	BY:	W.M.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	10:20 Pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	592	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	2.0	VAC		VAC		VAC		VAC		VAC		VAC		
6HLG	BY:	J.L.	BY:		BY:		BY:		BY:		BY:		BY:		
	TIME	11:37 Pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	101 PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		

VERTICAL DEGAS DAILY LOG

DATE: 5 [redacted]-97 6 Sept 97

8N-1	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:46	TIME		TIME		TIME		TIME		TIME	
	FLOW	417	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	25%	CH4		CH4		CH4		CH4		CH4	
8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	J.L.	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1639 pm	TIME	8:45pm	TIME		TIME		TIME		TIME	
	FLOW	1421	FLOW	694	FLOW		FLOW		FLOW		FLOW	
R:	CH4	49	CH4	40%	CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	JL	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:00a	TIME	8:53am	TIME		TIME		TIME		TIME	
	FLOW	1190	FLOW	1915	FLOW		FLOW		FLOW		FLOW	
R:	CH4	39%	CH4	65%	CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:54a	TIME		TIME		TIME		TIME		TIME	
	MCFD	120	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	.70₂	CH4		CH4		CH4		CH4		CH4	
DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	T-6.	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:18am	TIME	9:35am	TIME		TIME		TIME		TIME	
	MCFD	42	MCFD	42disch	MCFD		MCFD		MCFD		MCFD	
	SUCTION	10	SUCTION	1	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	1	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	T.G.	CHECKED BY	JL	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	6:45am	TIME	3:31a	TIME	10:05am	TIME		TIME		TIME	
	MCFD	1210 58	MCFD	1227	MCFD	59disch	MCFD		MCFD		MCFD	
	SUCTION	8	SUCTION		SUCTION	3	SUCTION		SUCTION		SUCTION	
	VAC	4	VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	T.G.	CHECKED BY	JL	CHECKED BY	0224	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:57am	TIME	1:23a	TIME	10:40am	TIME		TIME		TIME	
	MCFD	5294.35 46	MCFD	517	MCFD	44disch	MCFD		MCFD		MCFD	
	SUCTION	9	SUCTION	96	SUCTION	1	SUCTION		SUCTION		SUCTION	
	VAC	1.5	VAC	PSI	VAC		VAC		VAC		VAC	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

VERTICAL DEGAS DAILY LOG

DATE: 9[redacted] to 9/8

B: 8N-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:23 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		
B: 8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B: 9N-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:43 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1356	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	50	CH4		CH4		CH4		CH4		CH4		CH4		
B: 9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B: 9N-4	CHECKED BY	J.L.	CHECKED BY	TC	CHECKED BY	TC	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:53 Am	TIME	10:39 PM	TIME	11 Am	TIME		TIME		TIME		TIME		
	FLOW	724	FLOW	1337	FLOW	725	FLOW		FLOW		FLOW		FLOW		
R:	CH4	35	CH4	35%	CH4	30%	CH4		CH4		CH4		CH4		
B: 7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B: DW-1	CHECKED BY	WM	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	6:40p	TIME	4:18 Pm	TIME		TIME		TIME		TIME		TIME		
	~~FLOW~~	133	FLOW	133	FLOW		FLOW		FLOW		FLOW		FLOW		
R:	~~CH4~~ VAC	.8	CH4	.7	CH4		CH4		CH4		CH4		CH4		
B: DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		
7KH-3	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	3:55 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	1239	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:19 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	550	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	95 PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	8:50p	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	90	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	PSI	VAC		VAC		VAC		VAC		VAC		VAC		

VERTICAL DEGAS DAILY LOG

DATE: 9 [redacted] 97 — 10 Sept 97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME				
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4		CH4		CH4		CH4		CH4		CH4				
8N-4	TIME		TIME		TIME		TIME		TIME		TIME				
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4		CH4		CH4		CH4		CH4		CH4				
		W.M													
8N-1	TIME	9:10 Pm	TIME		TIME		TIME		TIME		TIME				
	FLOW	1291	FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4	50	CH4		CH4		CH4		CH4		CH4				
9N-2	TIME		TIME		TIME		TIME		TIME		TIME				
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4		CH4		CH4		CH4		CH4		CH4				
		W.M.													
9N-4	TIME	10:35 Pm	TIME		TIME		TIME		TIME		TIME				
	FLOW	1479	FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4	45	CH4		CH4		CH4		CH4		CH4				
7I-3	TIME		TIME		TIME		TIME		TIME		TIME				
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4		CH4		CH4		CH4		CH4		CH4				
		W.M.		F.M.											
DW-1	TIME	11:33 Pm	TIME	5:15 Pm	TIME		TIME		TIME		TIME				
	~~FLOW~~ MCFD	124	~~FLOW~~ MCFD	108	FLOW		FLOW		FLOW		FLOW				
R:	~~GVR~~ VAC	.8	CH4		CH4		CH4		CH4		CH4				
DW-2	TIME		TIME		TIME		TIME		TIME		TIME				
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW				
R:	CH4		CH4		CH4		CH4		CH4		CH4				
		W.M.		~~SD~~											
7KH-2	TIME	5:28 Pm	TIME	5:30 Pm	TIME		TIME		TIME		TIME				
	MCFD	1078	MCFD	58	MCFD		MCFD		MCFD		MCFD				
	SUCTION	.70	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION				
	VAC		VAC	.5	VAC		VAC		VAC		VAC				
		W.M.													
7KH-3	TIME	4:45 Pm	TIME		TIME		TIME		TIME		TIME				
	MCFD	1192	MCFD		MCFD		MCFD		MCFD		MCFD				
	SUCTION	2.8	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION				
	VAC	Under Arrestor	VAC		VAC		VAC		VAC		VAC				
				~~SD~~											
7LH	TIME		TIME	10:52 Pm	TIME		TIME		TIME		TIME				
	MCFD	444	~~MCFD~~	60	MCFD		MCFD		MCFD		MCFD				
	SUCTION	1.0	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION				
	VAC	Under Arrestor	VAC	1	VAC		VAC		VAC		VAC				
6HLG	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD				
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION				
	VAC		VAC		VAC		VAC		VAC		VAC				

VERTICAL DEGAS DAILY LOG

DATE: 11 [redacted] 97 — 12 Sept 97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:37 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	1152	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	50	CH4		CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:25 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	1241	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	37	CH4		CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:37 pm	TIME	8:04 pm	TIME		TIME		TIME		TIME	
	FLOW	141	FLOW	135	FLOW		FLOW		FLOW		FLOW	
R:	CH4	.08 Qty	CH4	.10	CH4		CH4		CH4		CH4	
DW-2	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:37 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	OFF	CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:20 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD Gas	5	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	40	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	.20	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	JS	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:43 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD Flow	65	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	1238	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	2	VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:15 pm	TIME	10:32	TIME		TIME		TIME		TIME	
	MCFD	470	MCFD	50	MCFD		MCFD		MCFD		MCFD	
	SUCTION	94 PSI	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC	.5	VAC		VAC		VAC		VAC	
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	5:13 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	PSI	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

VERTICAL DEGAS DAILY LOG

DATE: 12 [redacted] 97 13 Sept 97

8N-1	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	6:55 pm	TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	D. Tracker	CH4		CH4		CH4		CH4		CH4		
8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		
9N-1	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	6:55 pm	TIME	10:37 am	TIME		TIME		TIME		TIME		
	FLOW	1322	FLOW	1360	FLOW		FLOW		FLOW		FLOW		
R:	CH4	55	CH4	55	CH4		CH4		CH4		CH4		
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		
9N-4	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	7:35 pm	TIME	10:35 am	TIME		TIME		TIME		TIME		
	FLOW	1261	FLOW	1134	FLOW		FLOW		FLOW		FLOW		
R:	CH4	40	CH4	40	CH4		CH4		CH4		CH4		
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		
DW-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	4:55 pm	TIME		TIME		TIME		TIME		TIME		
	FLOW	55 scfm	FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	04 Dry.	CH4		CH4		CH4		CH4		CH4		
DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		
7KH-2	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:05 pm	TIME	1:25 pm	TIME		TIME		TIME		TIME		
	~~FLOW~~ MCFD 12.2	1144.6 58	MCFD	1110	MCFD		MCFD		MCFD		MCFD		
	SUCTION	11	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	.2	VAC		VAC		VAC		VAC		VAC		
7KH-3	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:45 pm	TIME	1:55 pm	TIME		TIME		TIME		TIME		
	MCFD 12.2	1188.1 58	MCFD	1187	MCFD		MCFD		MCFD		MCFD		
	SUCTION	9	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	4	VAC		VAC		VAC		VAC		VAC		
7LH	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	4:55 pm	TIME	12:45 pm	TIME		TIME		TIME		TIME		
	MCFD	492.57 60	MCFD	435	MCFD		MCFD		MCFD		MCFD		
	SUCTION	9	SUCTION	94 PSI	SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	1	VAC		VAC		VAC		VAC		VAC		
6HLG	CHECKED BY	TF	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:25 am	TIME		TIME		TIME		TIME		TIME		
	MCFD	97 PSI	MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		

VERTICAL DEGAS DAILY LOG

DATE: [redacted] - 9/15

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:29p	TIME	5:23a	TIME		TIME		TIME		TIME	
	FLOW	1078	FLOW	1360	FLOW		FLOW		FLOW		FLOW	
	CH4	50%	CH4	55%	CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY	MS	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:57p	TIME	5:13a	TIME	1:33pm	TIME		TIME		TIME	
	FLOW	1120	FLOW	774	FLOW	774	FLOW		FLOW		FLOW	
	CH4	45%	CH4	35%	CH4	35%	CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:20p	TIME		TIME		TIME		TIME		TIME	
	MCF [redacted]	135	FLOW		FLOW		FLOW		FLOW		FLOW	
	[redacted]O2	.05	CH4		CH4		CH4		CH4		CH4	
DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:45pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	855	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	.50	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:12a	TIME		TIME		TIME		TIME		TIME	
	MCFD	1172	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:49pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	425	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	94PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	90PSI	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

VERTICAL DEGAS DAILY LOG

DATE: 16 Sept 97 — 17 Sept 97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
8N-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	J.L.	CHECKED BY	MS	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:45 am	TIME	12:08 pm	TIME		TIME		TIME		TIME	
	FLOW	1506	FLOW	1399	FLOW		FLOW		FLOW		FLOW	
	CH4	60	CH4	75%	CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:57 am	TIME		TIME		TIME		TIME		TIME	
	FLOW	892	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	39	CH4		CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	W.M.	CHECKED BY	JL	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:15 am	TIME	4:30a	TIME	7:33 am	TIME		TIME		TIME	
	~~FLOW~~ MCFD	132	FLOW	127	~~FLOW~~ MCFD	145	FLOW		FLOW		FLOW	
	~~CH4~~	.3	CH4	.97	~~CH4~~	.40	CH4		CH4		CH4	
DW-2	CHECKED BY		CHECKED BY	.03	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:05a	TIME		TIME		TIME		TIME		TIME	
	MCFD	750	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:XCa	TIME		TIME		TIME		TIME		TIME	
	MCFD	1159	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	JL	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:21	TIME	11:44 am	TIME		TIME		TIME		TIME	
	MCFD	415	~~PRESSURE~~ MCFD	60	MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	94 PSI	VAC	1	VAC		VAC		VAC		VAC	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

VERTICAL DEGAS DAILY LOG

DATE: Dec 17 - Dec 18

DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME			TIME			TIME			TIME			TIME							
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI							
DW-3	CHECKED BY	MS.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	3:15 Am		TIME			TIME			TIME			TIME							
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI	NO Pressure		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI							
DW-4	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY	J.L.						
	TIME	9:13 Pm		TIME			TIME	12:57 Pm		TIME	4:07 Pm		TIME	5:45 Pm						
	MCFD/FLOW	875		MCFD/FLOW	775		MCFD/FLOW	770		MCFD/FLOW	770		MCFD/FLOW	750						
	VAC/SUC	10		VAC/SUC	5.5		VAC/SUC	5.5		VAC/SUC			VAC/SUC	4.25						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI	Back up 3.75		BUBBLE TUBE PSI	8.8		BUBBLE TUBE PSI	5.5 well 742 PSI						
	Below	3:46		Above	6.22			7.6		Below	11.5			13.58						
DW-5	CHECKED BY	W.M		CHECKED BY	W.M.		CHECKED BY			CHECKED BY	J.L		CHECKED BY							
	TIME	11:27 Am		TIME	1:18 Pm		TIME			TIME	4:48 Pm		TIME							
	MCFD/FLOW	0		MCFD/FLOW	280		MCFD/FLOW	615		MCFD/FLOW	512		MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC	2.0		VAC/SUC			VAC/SUC							
	DIS/GPM		6.8	DIS/GPM		6	DIS/GPM			DIS/GPM		5	DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI	35.		BUBBLE TUBE PSI							
	Above	69		Above	44.8					Above	31.1									
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	12:07 Pm		TIME	5:25 Pm		TIME			TIME			TIME							
	MCFD/FLOW	367		MCFD/FLOW	360		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC	1.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	12:57 Pm		TIME	5:05 Pm		TIME			TIME			TIME							
	MCFD/FLOW	812		MCFD/FLOW	804		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC	4.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM			PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	12:37 Am		TIME			TIME			TIME			TIME							
	MCFD/FLOW	1167		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
6HLG	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME			TIME			TIME			TIME			TIME							
	PSI	89		PSI			PSI			PSI			PSI							

ONLY BACK

VERTICAL DEGAS D[illegible]Y LOG

DATE: Dec 18 - Dec 19

DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME			TIME			TIME			TIME			TIME							
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI							
DW-3	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L		CHECKED BY							
	TIME	6:0[illegible]Am		TIME	9:3[illegible]Am		TIME	2:0[illegible]Am		TIME	6:0[illegible]Am		TIME							
	MCFD/FLOW	92		MCFD/FLOW	(		MCFD/FLOW	0		MCFD/FLOW	350		MCFD/FLOW							
	VAC/SUC	5.5		VAC/SUC			VAC/SUC			VAC/SUC	13		VAC/SUC							
	DIS/GPM		10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI	0		BUBBLE TUBE PSI	4		BUBBLE TUBE PSI	80!!!		BUBBLE TUBE PSI							
	Below Coal	27.4		[illegible]	[illegible]															
DW-4 Volume on Back	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY	J.L.						
	TIME	5:[illegible]Am		TIME	10:[illegible]Am		TIME	11:[illegible]Am		TIME	3:[illegible]Pm		TIME	6:2[illegible]						
	MCFD/FLOW	745		MCFD/FLOW	850		MCFD/FLOW	886		MCFD/FLOW	745		MCFD/FLOW	730						
	VAC/SUC	[illegible]		VAC/SUC	[illegible]		VAC/SUC	[illegible]		VAC/SUC	5.5	4.5	VAC/SUC	7.0	5.0	Close				
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		[illegible]	DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI	9.25						
	Below Coal	7.6		Below Coal	6.45		Below Coal	7.14		Below	7.6		Below	10.47						
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	M.S.		CHECKED BY			CHECKED BY							
	TIME	6:[illegible]Am		TIME	4:[illegible]Pm		TIME	4:50 Pm		TIME			TIME							
	MCFD/FLOW	567		MCFD/FLOW	541		MCFD/FLOW	530.35		MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC	-	-	VAC/SUC			VAC/SUC							
	DIS/GPM		4	DIS/GPM		3	DIS/GPM	-	3.9	DIS/GPM			DIS/GPM							
	BUBBLE TUBE PSI			BUBBLE TUBE PSI	14		BUBBLE TUBE PSI	20		BUBBLE TUBE PSI			BUBBLE TUBE PSI							
	Below Coal	17.25		Below	17.25		Below	17.5												
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	8:[illegible]Am		TIME	4:[illegible]Pm		TIME			TIME			TIME							
	MCFD/FLOW	365		MCFD/FLOW	345		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC	1.7		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	8:[illegible]Am		TIME	4:[illegible]Pm		TIME			TIME			TIME							
	MCFD/FLOW	914		MCFD/FLOW	881		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC	4.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM			PSI/GPM	83		PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	1:[illegible]Pm		TIME			TIME			TIME			TIME							
	MCFD/FLOW	1166		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW							
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC							
	PSI/GPM	86		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM							
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE							
6HLG	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY							
	TIME	10:0[illegible]A.		TIME			TIME			TIME			TIME							
	PSI	94		PSI			PSI			PSI			PSI							

VERTICAL DEGA[illegible]AILY LOG

DATE: 12/20 to 12/21/97

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY							
	TIME		TIME		TIME		TIME		TIME							
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC							
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM							
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI							
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL							
DW-3	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY		CHECKED BY							
	TIME	3:50a	TIME	5:10a	TIME	9:35a	TIME		TIME							
	MCFD/FLOW	327	MCFD/FLOW	337	MCFD/FLOW	330	MCFD/FLOW		MCFD/FLOW							
	VAC/SUC	3.6	VAC/SUC		VAC/SUC	7.2	VAC/SUC		VAC/SUC							
	DIS/GPM	10	DIS/GPM		DIS/GPM	10	DIS/GPM		DIS/GPM							
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	0	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI							
	WATER LEVEL	25.2 B	WATER LEVEL		WATER LEVEL	25.2 B	WATER LEVEL		WATER LEVEL							
DW-4	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY							
	TIME	4:39a	TIME	7:51a	TIME		TIME		TIME							
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC	6.5	VAC/SUC	6.5	VAC/SUC		VAC/SUC		VAC/SUC							
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM							
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI							
	WATER LEVEL	6.45 B	WATER LEVEL	7.37 B	WATER LEVEL		WATER LEVEL		WATER LEVEL							
	Blower	4.5 vac	Blower	4.5												
DW-5	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY							
	TIME		TIME		TIME		TIME		TIME							
	MCFD/FLOW	500	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC							
	DIS/GPM	3.75	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM							
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI							
	WATER LEVEL	24.15 B	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL							
8AH-1	CHECKED BY	WM	CHECKED BY	CCL4	CHECKED BY		CHECKED BY		CHECKED BY							
	TIME	5:40a	TIME	1:00am	TIME		TIME		TIME							
	MCFD/FLOW	348	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC	1.5	VAC/SUC	2	VAC/SUC		VAC/SUC		VAC/SUC							
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM							
	DISCHARGE		DISCHARGE	40	DISCHARGE		DISCHARGE		DISCHARGE							
8BH-1	CHECKED BY	WM	CHECKED BY	CCL4	CHECKED BY		CHECKED BY		CHECKED BY							
	TIME	5:47a	TIME	12:40	TIME		TIME		TIME							
	MCFD/FLOW	905	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC	4.0	VAC/SUC	4	VAC/SUC		VAC/SUC		VAC/SUC							
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM							
	DISCHARGE		DISCHARGE	45	DISCHARGE		DISCHARGE		DISCHARGE							
7LH	CHECKED BY	CCL4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY							
	TIME	9:40am	TIME		TIME		TIME		TIME							
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW							
	VAC/SUC	0	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC							
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM							
	DISCHARGE	50	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE							
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY							
	TIME	6:25a	TIME		TIME		TIME		TIME							
	PSI	90	PSI		PSI		PSI		PSI							

VERTICAL DEGAS DA[redacted]LOG

DATE: Dec 22 – Dec 23

	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
DW-3	CHECKED BY	N.S.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY						
	TIME	3:53pm		TIME	10:[illegible]am		TIME	5:3[illegible]pm		TIME			TIME						
	MCFD/FLOW	485&36		MCFD/FLOW	548		MCFD/FLOW	480		MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		12	DIS/GPM		10	DIS/GPM		6	DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI	6		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL	20.6		WATER LEVEL			WATER LEVEL						
				Below Coal	16			Below											
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	10:[illegible]am		TIME	5:1[illegible]pm		TIME			TIME			TIME						
	MCFD/FLOW	638		MCFD/FLOW	655		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	5/32		VAC/SUC	3/2		VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	WATER LEVEL			WATER LEVEL	15.65		WATER LEVEL			WATER LEVEL			WATER LEVEL						
		12.2																	
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	10:5[illegible]am		TIME	5:0[illegible]pm		TIME			TIME			TIME						
	MCFD/FLOW	470		MCFD/FLOW	467		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		3	DIS/GPM		3	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	WATER LEVEL	23		WATER LEVEL	14.95		WATER LEVEL			WATER LEVEL			WATER LEVEL						
					Below														
8AH-1	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:0[illegible]am		TIME			TIME			TIME			TIME						
	MCFD/FLOW	357		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	10:3[illegible]am		TIME			TIME			TIME			TIME						
	MCFD/FLOW	884		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	83		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	3:0[illegible]pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	1191		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	PSI			PSI			PSI			PSI			PSI						

VERTICAL DEGA[illegible]AILY LOG

DATE: Dec 24 – Dec 25 97

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
DW-3	CHECKED BY	W.M.	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:[illegible]am	TIME	4:[illegible]pm	TIME		TIME		TIME						
	MCFD/FLOW	357	MCFD/FLOW	355	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	WATER LEVEL	23-6	WATER LEVEL	22.5	WATER LEVEL		WATER LEVEL		WATER LEVEL						
		Below		Below											
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:[illegible]am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	625	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	WATER LEVEL	9.9	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
		Below													
DW-5	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:[illegible]am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	460	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	3.5	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	WATER LEVEL	23	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
		Below													
8AH-1	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	12:[illegible]pm	TIME		TIME		TIME		TIME						
	MCFD/FLOW	355	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
		1.6													
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	12:[illegible]pm	TIME		TIME		TIME		TIME						
	MCFD/FLOW	890	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
	Under Brook	4.0													
7LH	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	3:[illegible]pm	TIME		TIME		TIME		TIME						
	MCFD/FLOW	1124	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
		.4													
6HLG	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	1:[illegible]pm	TIME		TIME		TIME		TIME						
	PSI	80	PSI		PSI		PSI		PSI						

VERTICAL DEGAS [redacted]Y LOG

DATE: 12/26 - 12/27

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY										
	TIME		TIME		TIME		TIME		TIME										
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM										
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI										
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL										
DW-3	CHECKED BY	J.L.	CHECKED BY	JL	CHECKED BY	Jimmy	CHECKED BY	Jimmy	CHECKED BY										
	TIME	9:27a	TIME	4:50a	TIME	8:37	TIME	1:13pm	TIME										
	MCFD/FLOW	357.94	MCFD/FLOW	344	MCFD/FLOW	341.23	MCFD/FLOW	353.08	MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM	6	DIS/GPM	5	DIS/GPM	6	DIS/GPM	6	DIS/GPM										
	BUBBLE TUBE PSI	8	BUBBLE TUBE PSI		BUBBLE TUBE PSI	8	BUBBLE TUBE PSI	7	BUBBLE TUBE PSI										
	WATER LEVEL		WATER LEVEL	22.98	WATER LEVEL	20.6	WATER LEVEL	22.9	WATER LEVEL										
		16 strokes																	
DW-4	CHECKED BY	T.L.	CHECKED BY	JL	CHECKED BY	Jimmy	CHECKED BY	J.S.	CHECKED BY										
	TIME	9:43a	TIME	4:30a	TIME	8:20am	TIME	1:00pm	TIME										
	MCFD/FLOW	654.9	MCFD/FLOW	0	MCFD/FLOW	242.59	MCFD/FLOW	575.62	MCFD/FLOW										
	VAC/SUC		VAC/SUC	35	VAC/SUC	4	VAC/SUC	3.5	VAC/SUC										
	DIS/GPM	12	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM										
	BUBBLE TUBE PSI	6	BUBBLE TUBE PSI		BUBBLE TUBE PSI	20	BUBBLE TUBE PSI	10	BUBBLE TUBE PSI										
	WATER LEVEL		WATER LEVEL	6.2 above	WATER LEVEL	20	WATER LEVEL	3	WATER LEVEL										
1:45pm			well	12 vac	[redacted]	9 well	well	7											
DW-5	CHECKED BY	T.L.	CHECKED BY	JL	CHECKED BY	J.S.	CHECKED BY	J.S.	CHECKED BY										
	TIME	10:29a	TIME	4:15a	TIME	8:55am	TIME	1:25pm	TIME										
	MCFD/FLOW	438.8	MCFD/FLOW	425	MCFD/FLOW	438.80	MCFD/FLOW	1:00pm	MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM	6	DIS/GPM	4	DIS/GPM	4	DIS/GPM	4	DIS/GPM										
	BUBBLE TUBE PSI	2	BUBBLE TUBE PSI		BUBBLE TUBE PSI	9	BUBBLE TUBE PSI	9	BUBBLE TUBE PSI										
	WATER LEVEL		WATER LEVEL	21.85	WATER LEVEL	28.75	WATER LEVEL	28.75	WATER LEVEL										
1:45pm																			
8AH-1	CHECKED BY	T.L.	CHECKED BY	JL.	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	8:33a	TIME	5:22a	TIME		TIME		TIME										
	MCFD/FLOW	337.24	MCFD/FLOW	330	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC	14	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE										
8BH-1	CHECKED BY	T.L.	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	8:47a	TIME	5:15a	TIME		TIME		TIME										
	MCFD/FLOW	852.27	MCFD/FLOW	844	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC	3.5 5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM		PSI/GPM	82	PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE										
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	12:30a	TIME		TIME		TIME		TIME										
	MCFD/FLOW	1190	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM	84	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE										
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY										
	TIME		TIME		TIME		TIME		TIME										
	PSI		PSI		PSI		PSI		PSI										

7:18pm
<3p

VERTICAL DEGAS[redacted]ILY LOG

DATE: 12/28 to 12/29

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
DW-3	CHECKED BY	WM	CHECKED BY	J.S.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:40a	TIME	3:37p	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	397	MCFD/FLOW	391.98	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	12	DIS/GPM	12	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	10	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		
	WATER LEVEL	16 B	WATER LEVEL	16 3C	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
DW-4	CHECKED BY	WM	CHECKED BY	J.S.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:21a	TIME	3:40p	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	645	MCFD/FLOW	555.69	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC	5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	10	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		
	WATER LEVEL	5.3 B	WATER LEVEL	3. 3C	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
DW-5	CHECKED BY	WM	CHECKED BY	J. S.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:50a	TIME	3:39p	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	420	MCFD/FLOW	539.37	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM	6	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	20	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		
	WATER LEVEL	20.7 B	WATER LEVEL	23.45B	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
8AH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:10a	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	325	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:50a	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	821	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	42	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH	CHECKED BY	WM	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:52a	TIME	2:27	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1197	MCFD/FLOW	--	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC	-	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM	-	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE	55	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
	PRESSURE	.6	LAUNCH CHECK	0											
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	3:15a	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	80	PSI		PSI		PSI		PSI		PSI		PSI		

VERTICAL DEGAS DAILY LOG

DATE: Dec 30 – Dec 31

CHECKED BY					
TIME					
MCFD/FLOW					
VAC/SUC					
DIS/GPM					
BUBBLE TUBE PSI					
WATER LEVEL					

DW-3

CHECKED BY	J.L.	J.L	JS		
TIME	12:15pm	1:15pm	10am		
MCFD/FLOW	304	427	445.77		
VAC/SUC			— —		
DIS/GPM		2.5	— 6		
BUBBLE TUBE PSI			8		
WATER LEVEL	20.6	22.9	20.8		
	Below	Below	Below		

DW-4

CHECKED BY	J.L	Jimmy			
TIME	12:35pm	9:35am			
MCFD/FLOW	291	496.42			
VAC/SUC	4.5 / 10	3			
DIS/GPM					
BUBBLE TUBE PSI		9			
WATER LEVEL	13.35	8.3			
	Below	well vac 8			

DW-5

CHECKED BY	J.L.	J.L.	JS		
TIME	1:00pm	5:15pm	8:45am		
MCFD/FLOW	419	407	413.50		
VAC/SUC			— —		
DIS/GPM	3	3	— 3		
BUBBLE TUBE PSI			10		
WATER LEVEL	19.55	17.25	25.3		
	Below	Below	Below		

8AH-1

CHECKED BY	W.M.	J.L			
TIME	10:45am	6:00am			
MCFD/FLOW	250	254			
VAC/SUC	1.5				
PSI/GPM					
DISCHARGE					

8BH-1

CHECKED BY	J.L.				
TIME	5:45pm				
MCFD/FLOW	382				
VAC/SUC					
PSI/GPM	80				
DISCHARGE					

7LH

CHECKED BY	J.O	J.L.	J.S.		
TIME	4:55pm	4:05pm	3:15pm		
MCFD/FLOW	[illegible]	1214			
VAC/SUC					
PSI/GPM		81			
DISCHARGE	50		50		
under agent	0		0		

6HLG

CHECKED BY	W.M.				
TIME	8:30pm				
PSI	85				

VERTICAL DEGAS DAILY LOG

D[redacted] 1/31/98 TO 2/1/98 [redacted]

7MH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	7:00a		TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	656		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	2.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI							
DW-6	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	12:34a		TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	480		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	3.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI				
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B		
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME			TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	210		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	COMP VAC	9		COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC				
	BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC				
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI				
	WATER LEVEL	3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B		
DW-5	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME			TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	250		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI				
	WATER LEVEL	18.4	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B		
8AH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:53p		TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	162		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	12:12a		TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	517		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
7LH	CHECKED BY	Willie		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME			TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	825		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	1.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	10:07p		TIME			TIME			TIME			TIME			TIME				
	PSI	90		PSI			PSI			PSI			PSI			PSI				

Thur 29+30

TF pond building - OL

7J5.5 - 19 - off

7K7 - 41 - 986

7LH - psi 81

7LH - suc 0 dis 56 mcfd 813

7LH - drained drip

7MH1 - drained drip

7MH1 - psi 87

7MH1 - suc 4 dis 56 mcfd Bailey not working

5A - #2 ½ open
oil box full
water level 124.8
making bubbles
#3+1 running

7H1g chlorine 1.4 free
switched chlorine ba

O^2 sensor needs Checked

~~VJ~~ Booster 2376 gas flow, 1055 gas total, 770 oxy ppm

7K5 - 15 - off

~~VL~~ pumps water level reading - 15 inches

DW3 blower running

DW4 - 3 blower vac, 9 well vac, 9 psi, 8 suc, 2 dis, 1
340 mcfd 7.6 water level below coal

DW5 - 1 gas pres, 12 psi, 258 mcfd, 4 gal per min,
water level below coal

DW6 - 2 suc, 65 dis, 10 gal per min, 482 mcfd

DW6 - drained drip

7BH1 - drained drip

8BH1 - psi 80

8BH1 - suc 0 dis 68 mcfd 457

8AH1 - drained drip

3AH1 - psi 80.15

.41 suc 0 dis .62 mcfd 160

VERTICAL DEGAS[illegible]ILY LOG

DA[illegible]7 Jan 98 — 28 Jan 98

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-4	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:42 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	—		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC	—		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI	—		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	4.15 A OR (B)		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-5	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:42 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	—		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	—		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	—		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	18.4 A OR (B)		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		

VERTICAL DEGAS[illegible]ILY LOG

DATE: Jan 25- Jan 26 1998

7MH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	4:00a		TIME			TIME			TIME			TIME						
	MCFD/FLOW	630		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.7		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
DW-6	CHECKED BY	W.M.		CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:15p		TIME	6:[illegible]m		TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	3.2	"	VAC/SUC	3.2	—	VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		10	DIS/GPM	60 YO		DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	—		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL	—	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
		60																	
DW-4	CHECKED BY	WM.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	200		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	COMP VAC	10		COMP VAC			COMP VAC			COMP VAC			COMP VAC						
	BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	12:[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	285		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	27.6	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
8AH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	125		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	.30		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:3[illegible]a		TIME			TIME			TIME			TIME						
	MCFD/FLOW	518		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	4:15a		TIME			TIME			TIME			TIME						
	MCFD/FLOW	881		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	12:[illegible]m		TIME			TIME			TIME			TIME						
	PSI	90		PSI			PSI			PSI			PSI						

VERTICAL DEGA[redacted]AILY LOG

DATE: 23 Jan 98 to 24 Jan 98

7MH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	6:00p		TIME	12:35a		TIME			TIME			TIME								
	MCFD/FLOW	691		MCFD/FLOW	681		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC	.5	5	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	DIS/GPM	52		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM								
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	93		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI								
DW-6	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	10:15p		TIME			TIME			TIME			TIME								
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC		2	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	DIS/GPM	62		DIS/GPM		11	DIS/GPM			DIS/GPM			DIS/GPM								
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI								
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B						
DW-4	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	4:21a		TIME			TIME			TIME			TIME								
	MCFD/FLOW	205		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	COMP VAC	12		COMP VAC			COMP VAC			COMP VAC			COMP VAC								
	BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC								
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI								
	WATER LEVEL	1.85	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B						
DW-5	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	10:45p		TIME	4:02a		TIME			TIME			TIME								
	MCFD/FLOW	304		MCFD/FLOW	297		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	DIS/GPM			DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM								
	BUBBLE TUBE - PSI	8		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI								
	WATER LEVEL		A OR B	WATER LEVEL	17.25	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B						
8AH-1	CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	8:45p		TIME			TIME			TIME			TIME								
	MCFD/FLOW	185		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC	.5	10	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM								
	DISCHARGE	58		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE								
8BH-1	CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	9:45p		TIME			TIME			TIME			TIME								
	MCFD/FLOW	535		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC	1.5	2	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM								
	DISCHARGE	62		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE								
7LH	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	6:45p		TIME			TIME			TIME			TIME								
	MCFD/FLOW	877		MCFD/FLOW	866		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW								
	VAC/SUC	1.5	2	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC								
	PSI/GPM	58		PSI/GPM	86		PSI/GPM			PSI/GPM			PSI/GPM								
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE								
6HLG	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY								
	TIME	4:30a		TIME			TIME			TIME			TIME								
	PSI	91		PSI			PSI			PSI			PSI								

VERTICAL DEGAS DAILY LOG

DATE: 21 Jan 08 — 22 Jan 08

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	2:05pm	TIME		TIME		TIME		TIME						
	MCFD/FLOW	699	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI						
		92.5-L													
DW-6	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	9:35am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	440	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	2.8	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI						
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	10:40am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	230	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	COMP VAC	9	COMP VAC		COMP VAC		COMP VAC		COMP VAC						
	SLOW VAC	5	SLOW VAC		SLOW VAC		SLOW VAC		SLOW VAC						
	BUBBLE TUBE - PSI	3	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI						
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
DW-5	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	10:15am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	305	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	4	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI						
	WATER LEVEL	27.6 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
8AH-1	CHECKED BY	WM.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	8:35am	TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM	80	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
8BH-1	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	9:25am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	563	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	1.9	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:35am	TIME		TIME		TIME		TIME						
	MCFD/FLOW	928	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM	84	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
6HLG	CHECKED BY	W.M.	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	6:35am	TIME	3:35pm	TIME		TIME		TIME						
	PSI	90	PSI	94	PSI		PSI		PSI						

VERTICAL DEGA[illegible] DAILY LOG

[redacted]: 19 Jan 08 — 20 Jan 08

7MH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
DW-6	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1107 hrs	TIME		TIME		TIME		TIME		
	MCFD/FLOW	435	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	95	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY	J.L.	CHECKED BY		CHECKED BY		
	TIME	1225 hrs	TIME		TIME	1405 hrs	TIME		TIME		
	MCFD/FLOW	410	MCFD/FLOW		MCFD/FLOW	346	MCFD/FLOW		MCFD/FLOW		
	COMP VAC	8	COMP VAC		COMP VAC	9	COMP VAC		COMP VAC		
	BLOW VAC	2.5 Fwt.	BLOW VAC		BLOW VAC	7.4	BLOW VAC		BLOW VAC		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	12.2 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	7.6 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		
	TIME	1150p	TIME	1:45p	TIME	4:25p	TIME		TIME		
	MCFD/FLOW	436	MCFD/FLOW	Back	MCFD/FLOW	309	MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	6	DIS/GPM	on	DIS/GPM	5	DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	25.3 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	4.6 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
8AH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:30p	TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM	80	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1047 hrs	TIME		TIME		TIME		TIME		
	MCFD/FLOW	560	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.3	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1247 hrs	TIME		TIME		TIME		TIME		
	MCFD/FLOW	950	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM	84	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	8:30p	TIME		TIME		TIME		TIME		
	PSI	90	PSI		PSI		PSI		PSI		

VERTICAL DEGAS DAILY LOG

DATE 1/17/98 to 1/18/98

7MH-1	CHECKED BY	WM		CHECKED BY	OZZY	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	3.30a		TIME	11:20	TIME			TIME			TIME			
	MCFD/FLOW	351		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	.5		VAC/SUC	.5	VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM		DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
				Discharge	50										
DW-6	CHECKED BY	WM		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:13a		TIME		TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	3.7		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM	62	12	DIS/GPM		DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	60		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	101		WATER LEVEL		WATER LEVEL			WATER LEVEL			WATER LEVEL			
		(A) OR B			A OR B		A OR B			A OR B			A OR B		
DW-4	CHECKED BY	WM		CHECKED BY	WM	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:25p		TIME	1:10a	TIME			TIME			TIME			
	MCFD/FLOW	210		MCFD/FLOW	315	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC			COMP VAC		COMP VAC			COMP VAC			COMP VAC			
	BLOW VAC			BLOW VAC		BLOW VAC			BLOW VAC			BLOW VAC			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	1.6		WATER LEVEL	4.15	WATER LEVEL			WATER LEVEL			WATER LEVEL			
		(A) OR B			A OR (B)		A OR B			A OR B			A OR B		
DW-5	CHECKED BY	WM		CHECKED BY	OZZY	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	10:34p		TIME	8:40a	TIME			TIME			TIME			
	MCFD/FLOW	315		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM	6	DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	27.6		WATER LEVEL	6.5	WATER LEVEL			WATER LEVEL			WATER LEVEL			
		A OR (B)			A OR (B)		A OR B			A OR B			A OR B		
8AH-1	CHECKED BY	WM		CHECKED BY	OZZY	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:42a		TIME	1:55pm	TIME			TIME			TIME			
	MCFD/FLOW	6.8		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	.5		VAC/SUC	1	VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	58		DISCHARGE	51	DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	WM		CHECKED BY	OZZY	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:52a		TIME	1:37pm	TIME			TIME			TIME			
	MCFD/FLOW	516		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.2		VAC/SUC	1.5	VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE	60	DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	WM		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	4:00a		TIME		TIME			TIME			TIME			
	MCFD/FLOW	1016		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	.3		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	WM		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	5:30a		TIME		TIME			TIME			TIME			
	PSI	80		PSI		PSI			PSI			PSI			

VERTICAL DEGAS[illegible]ILY LOG

DA[illegible] 15 Jan 08 — 16 Jan 08

DW-6	CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:45 Pm		TIME	6:15 Am		TIME			TIME			TIME						
	MCFD/FLOW	463		MCFD/FLOW	478		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	5.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		12	DIS/GPM		12	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	95.2		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW	Above																	
DW-3	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	7:17 Pm		TIME	6:37 Am		TIME			TIME			TIME						
	MCFD/FLOW	599		MCFD/FLOW	300		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	COMP VAC	6		COMP VAC	9 well		COMP VAC			COMP VAC			COMP VAC						
	BLOW VAC	2.5		BLOW VAC	2.5		BLOW VAC			BLOW VAC			BLOW VAC						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	5.3		WATER LEVEL	7.6		WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	7:35 Pm		TIME	6:03 Am		TIME			TIME			TIME						
	MCFD/FLOW	328		MCFD/FLOW	312		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		4	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	29.9		WATER LEVEL	15.4		WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW	Below		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
8AH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	8:35 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	210		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.U		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:45 Pm		TIME	6:45 Am		TIME			TIME			TIME						
	MCFD/FLOW	560		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2.2		VAC/SUC	1.5		VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE	85		DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:45 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	852		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	85		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	8:55 Pm		TIME			TIME			TIME			TIME						
	PSI	80		PSI			PSI			PSI			PSI						

VERTICAL DEGAS DAILY LOG

DATE: 13 Jan 98 — 14 Jan

DW-6	CHECKED BY	022Y		CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY			CHECKED BY						
	TIME	6:[illegible]		TIME	12:[illegible]		TIME	3:[illegible]		TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	4		VAC/SUC			VAC/SUC		5	VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM		12	DIS/GPM		8	DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		26	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
	Discharge	55				50	Dry		55										
DW-3	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
DW-4	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L		CHECKED BY						
	TIME	10:[illegible]		TIME	12:[illegible]		TIME	3:[illegible]		TIME	5:[illegible]		TIME						
	MCFD/FLOW	305		MCFD/FLOW	840		MCFD/FLOW	852		MCFD/FLOW	1003		MCFD/FLOW						
	COMP VAC	10		COMP VAC	5		COMP VAC	2 well		COMP VAC	8 - well		COMP VAC						
	BLOW VAC	35		BLOW VAC	35 6 FEET UP		BLOW VAC	4		BLOW VAC	4		BLOW VAC						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	.7		WATER LEVEL	4.15		WATER LEVEL	16.8		WATER LEVEL	8.75		WATER LEVEL						
	ABOVE/BELOW	Below		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	10:[illegible]		TIME	3:[illegible]		TIME			TIME			TIME						
	MCFD/FLOW	315		MCFD/FLOW	320		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		4	DIS/GPM		7.5	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	23		WATER LEVEL	9.2		WATER LEVEL			WATER LEVEL			WATER LEVEL						
	ABOVE/BELOW	Below		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW						
8AH-1	CHECKED BY	W.M		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME	3:[illegible]		TIME			TIME			TIME						
	MCFD/FLOW	250		MCFD/FLOW	229		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM	81		PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME	3:[illegible]		TIME			TIME			TIME						
	MCFD/FLOW	604		MCFD/FLOW	595		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW	1223		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	PSI			PSI			PSI			PSI			PSI						

VERTICAL DEGA[redacted]ILY LOG

DATE: [redacted]

DW-6	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:38 PM		TIME	7:37 AM		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	-	-	VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		12	DIS/GPM	-	12	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		38	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL			WATER LEVEL		58.4	WATER LEVEL			WATER LEVEL			WATER LEVEL		
						-									
DW-3	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:09 PM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	572		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	29.8		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
DW-4	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:09 PM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	405		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	SLOW VAC			SLOW VAC			SLOW VAC			SLOW VAC			SLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	3		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:38 PM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	338		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	27.6		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
8AH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:35 AM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	285		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	15		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:34 AM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	711		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	1331		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		

VERTICAL DEGAS DAILY LOG

DAT[redacted] 9 Jan 98 10 Jan [redacted]8

BW-6	CHECKED BY	T.L.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7:30a		TIME	4:00p		TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM		12	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	68		BUBBLE TUBE - PSI	48		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			
DW-3	CHECKED BY	T.L.		CHECKED BY	JL		CHECKED BY	0224		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	8:45		TIME	5:04p		TIME	12:54pm		TIME			TIME			TIME			
	MCFD/FLOW	587.58		MCFD/FLOW	582		MCFD/FLOW	385		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM		8.5	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	2		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL			WATER LEVEL	27.5		WATER LEVEL	39		WATER LEVEL			WATER LEVEL			WATER LEVEL			
	ABOVE/BELOW			ABOVE/BELOW	Below		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			
DW-4	CHECKED BY	T.L.		CHECKED BY	JL		CHECKED BY	OZ		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9:15a		TIME	4:45a		TIME	12:40pm		TIME			TIME			TIME			
	MCFD/FLOW	705.34		MCFD/FLOW	410		MCFD/FLOW	430		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC			COMP VAC	9		COMP VAC			COMP VAC			COMP VAC			COMP VAC			
	BLOW VAC			BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC			
	BUBBLE TUBE - PSI	9		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL			WATER LEVEL	6.75		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			
	ABOVE/BELOW			ABOVE/BELOW	Below		ABOVE/BELOW	5.5		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			
							Gain	12:30pm											
DW-5	CHECKED BY	T.L.		CHECKED BY	JL		CHECKED BY	0224		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7:45		TIME	4:20a		TIME	12:31pm		TIME			TIME			TIME			
	MCFD/FLOW	346.49		MCFD/FLOW	335		MCFD/FLOW	330		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM		4	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	10		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL			WATER LEVEL	16.1		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			
	ABOVE/BELOW			ABOVE/BELOW	Below		ABOVE/BELOW	41.5		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			
8AH-1	CHECKED BY	J.L.		CHECKED BY	T.L.		CHECKED BY	0224		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME	6:55		TIME	2:10pm		TIME			TIME			TIME			
	MCFD/FLOW	283		MCFD/FLOW	284.04		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC	1.5	10	VAC/SUC	2		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	79		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	[redacted]		DISCHARGE	40		DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	J.L.		CHECKED BY	T.L.		CHECKED BY	0224		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME	6:30a		TIME	2:10pm		TIME			TIME			TIME			
	MCFD/FLOW	210		MCFD/FLOW	216.57		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC	2	10	VAC/SUC	2		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	86		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	[redacted]		DISCHARGE	40		DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	T.L.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	4:45		TIME	12:15a		TIME			TIME			TIME			TIME			
	MCFD/FLOW	1339.		MCFD/FLOW	13.55		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	0	2	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM	86		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:15p		TIME			TIME			TIME			TIME			TIME			
	PSI	91		PSI			PSI			PSI			PSI			PSI			

VERTICAL DEGAS DAILY LOG

DATE: 17 Sept 97 — 18 Sept 97

B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7G-1	TIME	1:05pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
R:	FLOW	1152	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	50	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
8N-4	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-1	TIME	11:25am	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1391	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	59	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-2	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-4	TIME	11:45am	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	696	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	36	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7I-3	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-1	TIME	5:35pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	140 mcfd	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-2	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7KH-2	TIME	2:35pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	757	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7KH-3	TIME	2:45pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	1141	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7LH	TIME	5:55pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	410	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	94 PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
6HLG	TIME	9:39a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	90	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	PSI	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		

[illegible] DAILY LOG

DATE: 19 [illegible] 97 — 20 Sept 97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
		T.L.		JL								
9N-1	TIME	3:15pm	TIME	5:08a	TIME		TIME		TIME		TIME	
	FLOW	1527	FLOW	1514	FLOW		FLOW		FLOW		FLOW	
R:	CH4	65	CH4	61%	CH4		CH4		CH4		CH4	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
		T.L.										
9N-4	TIME	3:35pm	TIME	4:	TIME		TIME		TIME		TIME	
	FLOW	1030	FLOW	810	FLOW		FLOW		FLOW		FLOW	
R:	CH4	50	CH4	42	CH4		CH4		CH4		CH4	
7I-3	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
		T.L.		JL								
DW-1	TIME	10:15am	TIME	10:48a	TIME		TIME		TIME		TIME	
	FLOW	110	~~MCFD~~	118	FLOW		FLOW		FLOW		FLOW	
R:	~~GAS~~	.3	CH4		CH4		CH4		CH4		CH4	
DW-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
		T.L.		0224								
7KH-2	TIME	2:15pm	TIME	10:45a	TIME		TIME		TIME		TIME	
	MCFD	690.8 98	MCFD	Discharge	MCFD		MCFD		MCFD		MCFD	
	SUCTION	12	SUCTION	42	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	.2	VAC	.5	VAC		VAC		VAC		VAC	
		T.L.		JL		0224						
7KH-3	TIME	6:15pm	TIME	12:40	TIME	9:20am	TIME		TIME		TIME	
	MCFD	1039.7 88	MCFD	1046	MCFD	Discharge	MCFD		MCFD		MCFD	
	SUCTION	9	SUCTION		SUCTION	58	SUCTION		SUCTION		SUCTION	
	VAC	4	VAC		VAC	2.5	VAC		VAC		VAC	
		T.L.		JL		0221						
7LH	TIME	8:15pm	TIME	2:13a	TIME	9:00	TIME		TIME		TIME	
	MCFD	~~358.4~~ 38	MCFD	353	MCFD	Discharge	MCFD		MCFD		MCFD	
	SUCTION	10.	SUCTION	PSI	SUCTION	45	SUCTION		SUCTION		SUCTION	
	VAC	1.5	VAC	94	VAC	1	VAC		VAC		VAC	
		JL										
6HLG	TIME	3:32a	TIME		TIME		TIME		TIME		TIME	
	MCFD	PSI	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	97	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

DATE: [redacted]/23 to 9/23

8N-1															
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
9N-1		WM													
	TIME	8:30a	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1214	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	6590	CH4		CH4		CH4		CH4		CH4		CH4		
9N-2															
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
9N-4		W.M.													
	TIME	9:15am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	802	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	40	CH4		CH4		CH4		CH4		CH4		CH4		
7I-3															
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
DW-1		JL													
	TIME	11:58	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW [illegible]0121		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
DW-2		J.L.		JL											
	TIME	12:05pm	TIME	1:33pm	TIME		TIME		TIME		TIME		TIME		
	FLOW	4 GPM	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4	—	CH4		CH4		CH4		CH4		CH4		
7KH-2															
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		
7KH-3		J.L.		JL											
	TIME	3:37pm	TIME	11:39 AM	TIME		TIME		TIME		TIME		TIME		
	MCFD	645	MCFD	40	MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC	5	VAC		VAC		VAC		VAC		VAC		
7LH		J.L													
	TIME	4:28pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	405	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	94/52	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		
6HLG															
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		

DATE: 24 [redacted]t 97 - 25 Sept 97

B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
8N-1	TIME	11.30p	TIME		TIME		TIME		TIME		TIME	
	FLOW	1434	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	65%	CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-4	TIME	11:50p	TIME		TIME		TIME		TIME		TIME	
	FLOW	599	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	35%	CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7I-3	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B:	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-1	TIME	6.43p	TIME	12:43pm	TIME		TIME		TIME		TIME	
	[redacted]LCFD	122	FLOW	118	FLOW		FLOW		FLOW		FLOW	
R:	[redacted]VAC	.40	CH4	4Cpm	CH4		CH4		CH4		CH4	
B:	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-2	TIME	7:52p	TIME	4Cpm	TIME		TIME		TIME		TIME	
	FLOW	off	FLOW	4Cfm	FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	W.M.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:37pm	TIME	12:57pm	TIME		TIME		TIME		TIME	
7KH-2	MCFD	980	MCFD	40	MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	.70	VAC	1	VAC		VAC		VAC		VAC	
	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:30p	TIME	4:40pm	TIME	10:50 pm	TIME		TIME		TIME	
7KH-3	MCFD	620	MCFD	616	MCFD	45	MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION	
	VAC	.70	VAC		VAC	1	VAC		VAC		VAC	
	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	5:27pm	TIME		TIME		TIME		TIME		TIME	
7LH	MCFD	502	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	94 PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9.40p	TIME		TIME		TIME		TIME		TIME	
6HLG	MCFD	90	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

DATE: 26 [redacted] 27 — 27 Sept 17

B:	CHECKED BY	T.G.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
8N-1	TIME	7:18 pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1328	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	70	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-1	TIME	7:33 pm	TIME	10:45p	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1427	FLOW	1434	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	70	CH4	65%	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-2	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	T.G.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-4	TIME	7:49 pm	TIME	11:03 pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	310	FLOW	567	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	40	CH4	40	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7I-3	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7H	TIME	5:10a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
1	FLOW	393	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	30%	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-1	TIME	11:35a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
MCFD	FLOW	147	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW.		FLOW		
R:	CH4	[redacted]	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-2	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW:		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
7KH-3	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	3:50a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	655	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:25a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	260	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	93	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		
6HLG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:45a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	95	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		

DATE: 9[redacted] to 9/29

		J.L.													
7I-1	TIME	4:30pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	off	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		
7I-5	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
7J-1	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
		JL													
7J-5.5	TIME	12:57pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	563	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	39	CH4		CH4		CH4		CH4		CH4		CH4		
		J.L.													
7K-1	TIME	4:03pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		
		J.L.													
7K-2	TIME	3:37pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	456	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	29	CH4		CH4		CH4		CH4		CH4		CH4		
		J.L.													
7K-3	TIME	2:[illegible]pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		
		JL													
7K-4	TIME	1:40	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	Off	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	low	CH4		CH4		CH4		CH4		CH4		CH4		
		WM													
7G 1	TIME	7:00p	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1030	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	50%	CH4		CH4		CH4		CH4		CH4		CH4		
		J.L.													
7H-1	TIME	4:41pm	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	419	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	31	CH4		CH4		CH4		CH4		CH4		CH4		
		JL													
DW 3	TIME	5:45	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	77	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	PSI	CH4		CH4		CH4		CH4		CH4		CH4		
		WM													
8AH-1	TIME	9:30p	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	95	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	PSI	CH4		CH4		CH4		CH4		CH4		CH4		
		WM													
8BH-1	TIME	10:22p	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	491	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4	2.4	CH4		CH4		CH4		CH4		CH4		CH4		

DATE: 29 Sept 97 — 30 Sept 97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4		J.L.										
	TIME	11:29 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	464	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	35	CH4		CH4		CH4		CH4		CH4	
7I-3	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
Dw-3		J.L.		TC								
	TIME	7?PSI	TIME	3:13 pm	TIME		TIME		TIME		TIME	
	FLOW	46pm	FLOW	763.14	FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4	—	CH4		CH4		CH4		CH4	
DW-1		J.L.										
	TIME	5:29 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	155	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
DW-2		J.L.										
	TIME	5:18 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	4 GPM	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2		J.L.										
	TIME	3:37 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	100	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3		J.L.										
	TIME	3:35 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	640	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7LH		J.L.										
	TIME	4:23 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	270	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	93PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
6HLG	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

DATE: [redacted] 2 Oct 97

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-1	TIME	11 37 Am	TIME		TIME		TIME		TIME		TIME	
	FLOW	1550	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	67	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-4	TIME	11 54 Am	TIME		TIME		TIME		TIME		TIME	
	FLOW	501	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	39	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7I-3	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-1	TIME	3 34 Am	TIME		TIME		TIME		TIME		TIME	
	FLOW	13 MCFD	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-2	TIME	3:48 Am	TIME		TIME		TIME		TIME		TIME	
	FLOW	4 GPm	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7KH-2	TIME	2 48 Am	TIME		TIME		TIME		TIME		TIME	
	MCFD	85	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
	CHECKED BY	W.M	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7KH-3	TIME	6 04 Am	TIME	7:48 Am	TIME		TIME		TIME		TIME	
	MCFD	—	MCFD	389	MCFD		MCFD		MCFD		MCFD	
	SUCTION	25	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	—	VAC		VAC		VAC		VAC		VAC	
	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7LH	TIME	7:48 AM	TIME		TIME		TIME		TIME		TIME	
	MCFD	20	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	1.5	VAC		VAC		VAC		VAC		VAC	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
6HLG	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

DATE: [redacted]-97 4 CHE 97

B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
8N-1	TIME	11:15am	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	LOW	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-1	TIME	11:30	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	1435	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	65	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-2	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
9N-4	TIME	12:03	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	474	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	40	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7I-3	TIME	2:50	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	off	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	low	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW 3	TIME	12:30	TIME	5:55	TIME		TIME		TIME		TIME		TIME		
	FLOW	350	FLOW	294	FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	6ppm	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	W.M.	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-1	TIME	12:17pm	TIME	5:30a	TIME		TIME		TIME		TIME		TIME		
	FLOW	145	FLOW	141	FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4	.8	CH4		CH4		CH4		CH4		CH4		CH4		
B:	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
DW-2	TIME	5:40a	TIME		TIME		TIME		TIME		TIME		TIME		
	FLOW	Off	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
R:	CH4		CH4		CH4		CH4		CH4		CH4		CH4		
	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7KH-2	TIME	8:55am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD (Flow)	107	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	~	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	.4	VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7KH-3	TIME	4:11	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	Off	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	high	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	O2	VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
7LH	TIME	7:35pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD	504	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION	~	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC	1.4	VAC		VAC		VAC		VAC		VAC		VAC		
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
6HLG	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		

DATE: [redacted] Oct 97 – 6 Oct 97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-1 ✓	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:35p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	1440	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	65%	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-4 ✓	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:50p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	377	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	33%	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
DW 3	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:00p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	386 MCFD	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:30p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	130 MCFD	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	.5 vac	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
DW-2	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:00p	TIME		JIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	.30	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	VAC	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	4:30a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	71	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	JL	CHECKED BY		CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	4:15a	TIME		TIME	12:19 pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	443	MCFD		MCFD	40	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC	2.0	VAC		VAC		VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	5:15a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	413	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	93	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	PSI	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:15p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	90	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	

RTICAL DEWAS DAILY LOG

DATE: [redacted] Oct 97 — 8 Oct 97 [redacted]

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:3[illegible]	TIME		TIME		TIME		TIME		TIME	
	FLOW	1425	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	63	CH4		CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:4[illegible]	TIME		TIME		TIME		TIME		TIME	
	FLOW	465	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	38	CH4		CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:5[illegible]	TIME		TIME		TIME		TIME		TIME	
	FLOW	4 GPM. 0 psig	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	1.40 .5	CH4		CH4		CH4		CH4		CH4	
DW-2	CHECKED BY	W.M	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:1[illegible]	TIME	12:3[illegible]	TIME		TIME		TIME		TIME	
	[redacted]	19 4.2	FLOW	Amp	FLOW		FLOW		FLOW		FLOW	
	[redacted]	8	CH4	off	CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:15	TIME		TIME		TIME		TIME		TIME	
	MCFD	82	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:3[illegible]	TIME		TIME		TIME		TIME		TIME	
	MCFD	491	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:5[illegible]	TIME		TIME		TIME		TIME		TIME	
	MCFD	510	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	23	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	-0	VAC		VAC		VAC		VAC		VAC	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

DATE: 9 Oct [redacted] 10 Oct 91 [redacted]

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
8N-1	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-1	TIME	10 1/2 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	1355	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	61	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-2	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
9N-4	TIME	11:30 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	442	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	X	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7I-3	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	T.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
KF-4	TIME	5:45 pm	TIME		TIME		TIME		TIME		TIME	
	FLOW	Off	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	T.L.	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-1	TIME	9 pm	TIME	5:30 pm	TIME		TIME		TIME		TIME	
	[redacted]	144.34 .30	FLOW	143	FLOW		FLOW		FLOW		FLOW	
	[redacted]	.30	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY	T.L.	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
DW-2	TIME	10 3	TIME	5:30 pm	TIME		TIME		TIME		TIME	
	[redacted]	.5	FLOW	4 GPM	FLOW		FLOW		FLOW		FLOW	
	[redacted]	.5	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7KH-2	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7KH-3	TIME	1 0 pm	TIME		TIME		TIME		TIME		TIME	
	MCFD	269	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	
	CHECKED BY	T.L.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
7LH	TIME	6 45 pm	TIME	2:25 pm	TIME		TIME		TIME		TIME	
	[redacted]	40	MCFD	515	MCFD		MCFD		MCFD		MCFD	
	SUCTION	9	SUCTION	.	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	1.5	VAC	93	VAC		VAC		VAC		VAC	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
6HLG	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

PW-3 [redacted] slowed Down. OW-3 JL 5:15 10 GPM 160 MCFD

DATE: [redacted]/97 to 10/12/97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
9N-1		Freddy																	
	TIME	1:30pm	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW	2570	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4	58	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
9N-2																			
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
9N-4		F.M.																	
	TIME	11:30am	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW	499	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4	39%	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
7I-3																			
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
DW 3		WM																	
	TIME	12:22a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW	715 MCFD	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4	12 gpm / 38 PSI	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
DW-1		WM		WM															
	TIME	9:30p	TIME	10:20p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW	143	FLOW	135	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4	.30	CH4	.30	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
DW-2		WM																	
	TIME	11:45p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	FLOW	17PSI	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW
	CH4	4 gpm / 1.2 vac	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4
7KH-2		WM																	
	TIME	4:30a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	MCFD	74	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION
	VAC	.40	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC
7KH-3		WM																	
	TIME	5:07a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	MCFD	380	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION
	VAC	1.5	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC
7LH		WM																	
	TIME	3:20a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	MCFD	505	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION
	VAC	1.4	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC
6HLG		WM																	
	TIME	1:14a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	MCFD	90	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD
	SUCTION	PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC

DATE: 13 Oct 97 — 14 Oct 97

8N-1	TIME		TIME		TIME		TIME		TIME		TIME					
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW					
R:	CH4		CH4		CH4		CH4		CH4		CH4					
9N-1	TIME	11:25 Am	TIME		TIME		TIME		TIME		TIME					
	FLOW	1936	FLOW		FLOW		FLOW		FLOW		FLOW					
R:	CH4	4.5	CH4		CH4		CH4		CH4		CH4					
9N-2	TIME		TIME		TIME		TIME		TIME		TIME					
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW					
R:	CH4		CH4		CH4		CH4		CH4		CH4					
		J.L.														
9N-4	TIME	11:45 Am	TIME		TIME		TIME		TIME		TIME					
	FLOW	507	FLOW		FLOW		FLOW		FLOW		FLOW					
R:	CH4	30	CH4		CH4		CH4		CH4		CH4					
7I-3	TIME		TIME		TIME		TIME		TIME		TIME					
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW					
R:	CH4		CH4		CH4		CH4		CH4		CH4					
		W.M.		J.L.												
DW-3	TIME	7 1/2 Am	TIME	5:37 Pm	TIME		TIME		TIME		TIME					
	FLOW	730 31 PSI	FLOW	1160 65 PSI	FLOW		FLOW		FLOW		FLOW					
R:	CH4	10 6 Pm	CH4		CH4		CH4		CH4		CH4					
		W.M.		J.L.												
DW-1	TIME	6 40 Pm	TIME	5:15 Pm	TIME		TIME		TIME		TIME					
	FLOW	0 PSI 22 Vac	FLOW	MCFD 121	FLOW		FLOW		FLOW		FLOW					
R:	CH4	150 inch 5 6 Pm	CH4		CH4		CH4		CH4		CH4					
				J.L.		W.M.										
DW-2	TIME		TIME	5:19 Pm	TIME	3 47 Pm	TIME		TIME		TIME					
	FLOW		FLOW	4 6Pm	[illegible]	14 PSI 3/8 6Pm	FLOW		FLOW		FLOW					
R:	CH4		CH4	0 [illegible]2	CH4	1.3 Vac	CH4		CH4		CH4					
		J.L.														
7KH-2	TIME	3:15 Pm	TIME		TIME		TIME		TIME		TIME					
	MCFD	77	MCFD		MCFD		MCFD		MCFD		MCFD					
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION					
	VAC		VAC		VAC		VAC		VAC		VAC					
		J.L.														
7KH-3	TIME	1.45 Pm	TIME		TIME		TIME		TIME		TIME					
	MCFD	478	MCFD		MCFD		MCFD		MCFD		MCFD					
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION					
	VAC		VAC		VAC		VAC		VAC		VAC					
		W.M.														
7LH	TIME		TIME		TIME		TIME		TIME		TIME					
	MCFD	598	MCFD		MCFD		MCFD		MCFD		MCFD					
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION					
	VAC	1.2 Vac	VAC		VAC		VAC		VAC		VAC					
6HLG	TIME		TIME		TIME		TIME		TIME		TIME					
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD					
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION					
	VAC		VAC		VAC		VAC		VAC		VAC					

7H-1 455 WM

Well		15 Oct 97		16 Oct 97								
DATE:		Oct 97		16 Oct 97								
B: 8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B: ✓ 9N-1	CHECKED BY	J.L.	CHECKED BY	TG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11 45 am	TIME	1:44 pm	TIME		TIME		TIME		TIME	
	FLOW	1878	FLOW	1389	FLOW		FLOW		FLOW		FLOW	
R:	CH4	40	CH4	40%	CH4		CH4		CH4		CH4	
B: 9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	~~48~~	CH4		CH4		CH4		CH4		CH4	
B: ✓ 9N-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11 45 am	TIME		TIME		TIME		TIME		TIME	
	FLOW	Off	FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4	Low	CH4		CH4		CH4		CH4		CH4	
B: 7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
R:	CH4		CH4		CH4		CH4		CH4		CH4	
B: DW-3	CHECKED BY	W.M	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:45 pm	TIME	5 35 pm	TIME		TIME		TIME		TIME	
	FLOW	620 mcfd 18 PSI	FLOW	618 12 PSI	FLOW		FLOW		FLOW		FLOW	
R:	CH4	32.62 [illegible] 6 GPM	CH4	18 [illegible] 6 GPM	CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:35 pm	TIME	5:45 pm	TIME	2:53 pm	TIME		TIME		TIME	
	FLOW	110 mcfd 20 VAC	FLOW	114 MCFD	FLOW	105	FLOW		FLOW		FLOW	
R: 36 GPM	CH4	0 PSI	CH4		CH4	[illegible]	CH4		CH4		CH4	
DW-2	CHECKED BY	W.M 12:12 pm	CHECKED BY	J.L	CHECKED BY	MS	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	66 GPM	TIME	5:35 pm	TIME	1:49 pm	TIME		TIME		TIME	
	FLOW	52 PSI	FLOW	2 GPM	FLOW	OFF	FLOW		FLOW		FLOW	
R:	CH4	1.2 VAC	CH4		CH4	Unhooked R&M.O	CH4		CH4		CH4	
7KH-2	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9:45 pm	TIME		TIME		TIME		TIME		TIME	
	Discharge ~~MCFD~~	35	MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	.5	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:02 pm	TIME	1:26 pm	TIME		TIME		TIME		TIME	
	MCFD	505	Discharge ~~MCFD~~	45	MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC	1	VAC		VAC		VAC		VAC	
7LH	CHECKED BY	W.M.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	6 45 pm	TIME	12:39 pm	TIME		TIME		TIME		TIME	
	MCFD	461	Discharge ~~MCFD~~	40	MCFD		MCFD		MCFD		MCFD	
	SUCTION	∅	SUCTION	—	SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	1.0	VAC	1	VAC		VAC		VAC		VAC	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC	

...RTICAL DEGAS DAILY LOG

DATE: 17 OCT 97 ... 18 OCT 97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-1	CHECKED BY	JL.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1105	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	1389	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	40	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1124	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW	Off	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
7I-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4		CH4	
7KH-2	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:30a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	81	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:44a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	1196	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	4:15a	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	710	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	93	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC	PSI	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	
6HLG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:46p	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME	
	MCFD	95	MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD		MCFD	
	SUCTION	PSI	SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION		SUCTION	
	VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC		VAC	

VERTICAL DEGAS DA[redacted].OG

DATE: Oct 19- [redacted]CE 20

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		
DW-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:45pm	TIME		TIME		TIME		TIME		
	MCFD	137	MCFD		MCFD		MCFD		MCFD		
	VAC/GPM	.30 | 4.2	VAC/GPM		VAC/GPM		VAC/GPM		VAC/GPM		
	BUBBLE TUBE	45"	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
DW-2	CHECKED BY	W.M	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:47pm	TIME	3:14pm	TIME		TIME		TIME		
	GPM	5	GPM	OFF	GPM		GPM		GPM		
	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI		
DW-3	CHECKED BY	WM	CHECKED BY	TG	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	3:30a	TIME	9:07 AM	TIME		TIME		TIME		
	GPM/PSI	7.5	GPM/PSI	8	GPM/PSI		GPM/PSI		GPM/PSI		
	WATER LEVEL		WATER LEVEL	—	WATER LEVEL		WATER LEVEL		WATER LEVEL		
	MCFD	1668	MCFD	402.76	MCFD		MCFD		MCFD		
DW-4 OFF	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	GPM		GPM		GPM		GPM		GPM		
7KH-2	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:41a	TIME		TIME		TIME		TIME		
	MCFD	77	MCFD		MCFD		MCFD		MCFD		
	VAC	.50	VAC		VAC		VAC		VAC		
7KH-3	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:00a	TIME		TIME		TIME		TIME		
	MCFD	[redacted]	MCFD		MCFD		MCFD		MCFD		
	VAC	1.3	VAC		VAC		VAC		VAC		
	DIS	42									
7LH	CHECKED BY	WM	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	7:05a	TIME	1:13pm	TIME		TIME		TIME		
	MCFD	740	MCFD	—	MCFD		MCFD		MCFD		
	VAC/PSI	.5	VAC/PSI	.5	VAC/PSI		VAC/PSI		VAC/PSI		
			Discharge	45							
6HLG	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:30am	TIME		TIME		TIME		TIME		
	PSI	90	PSI		PSI		PSI		PSI		
8AH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:45pm	TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		
	PSI	95	PSI		PSI		PSI		PSI		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:35pm	TIME		TIME		TIME		TIME		
	MCFD	750	MCFD		MCFD		MCFD		MCFD		
	VAC	0 under flaring	VAC		VAC		VAC		VAC		
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		

VERTICAL DEGAS[illegible]LY LOG

DATE: [illegible] October 21 - 22 1997

8N-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		
DW-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	JD		CHECKED BY	0221		CHECKED BY		
	TIME	7:1[illegible]		TIME	4:3[illegible]		TIME	8:24		TIME	4:30		TIME		
	MCFD	161		MCFD	160		MCFD	160		MCFD			MCFD		
	VAC/GPM		5	VAC/GPM		4	VAC/GPM	—	3	VAC/GPM		3	VAC/GPM		
	BUBBLE TUBE	2		BUBBLE TUBE			BUBBLE TUBE	2PSI		BUBBLE TUBE	2		BUBBLE TUBE		
	WATER LEVEL			WATER LEVEL			WATER LEVEL	—		WATER LEVEL	160Pad		WATER LEVEL		
DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	GPM			GPM			GPM			GPM			GPM		
	VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI		
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:5[illegible]		TIME	4:4[illegible]		TIME			TIME			TIME		
	GPM/PSI	10	16	GPM/PSI	8		GPM/PSI			GPM/PSI			GPM/PSI		
	WATER LEVEL	29.25		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	MCFD	594		MCFD	581		MCFD			MCFD			MCFD		
DW-4	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	GPM			GPM			GPM			GPM			GPM		
7KH-2	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:1[illegible]		TIME			TIME			TIME			TIME		
	MCFD	79		MCFD			MCFD			MCFD			MCFD		
	VAC			VAC			VAC			VAC			VAC		
7KH-3	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	0		TIME			TIME			TIME			TIME		
	MCFD	F		MCFD			MCFD			MCFD			MCFD		
	VAC	F		VAC			VAC			VAC			VAC		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:[illegible]		TIME			TIME			TIME			TIME		
	MCFD	810		MCFD			MCFD			MCFD			MCFD		
	VAC/PSI		93	VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI		
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
8AH-1	CHECKED BY	J.L.		CHECKED BY	JD		CHECKED BY			CHECKED BY	W.M.		CHECKED BY		
	TIME	5:0[illegible]		TIME	10:[illegible]		TIME			TIME	5:0[illegible]		TIME		
	MCFD			MCFD	150		MCFD			MCFD	9.35		MCFD		
	PSI	102		PSI	40		[illegible]			Suction Discharge	11.3 38		PSI		
				[illegible]	.10		[illegible]			VAC	.3				
8BH-1	CHECKED BY	J.L.		CHECKED BY	JD		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:1[illegible]		TIME	9:5[illegible]		TIME			TIME			TIME		
	MCFD	783		MCFD	—		MCFD			MCFD			MCFD		
	VAC			VAC	1		VAC			VAC			VAC		
		8LPSI		Discharge	40										
	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		

VERTICAL DEGAS[redacted]ILY LOG

DATE: October 23 - 24 19[redacted]

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY		CHECKED BY	J.L.	CHECKED BY		CHECKED BY	MS	CHECKED BY	
	TIME	7:01 pm	TIME	5:09 pm	TIME		TIME	10:22 am	TIME	
	MCFD	55	MCFD	52	MCFD	52	MCFD	53	MCFD	
	VAC/GPM	X | 3	VAC/GPM	25	VAC/GPM	22	VAC/GPM	— | 4	VAC/GPM	
	BUBBLE TUBE	0	BUBBLE TUBE	500 mg per Gallon	BUBBLE TUBE	12 Suction	BUBBLE TUBE	2 PSI	BUBBLE TUBE	
	WATER LEVEL	0	WATER LEVEL		WATER LEVEL		WATER LEVEL	4 GPM	WATER LEVEL	
DW-2	CHECKED BY	W.M.	CHECKED BY	W.M.	CHECKED BY	W.M.	CHECKED BY		CHECKED BY	
	TIME	6 pm	TIME	7:35 am	TIME	7:49 pm	TIME		TIME	
	GPM	5	GPM	5	GPM	.5	GPM	MCFD: 52	GPM	
	VAC/PSI	1.2 | 3	VAC/PSI	2.4 | 3	VAC/PSI	24 | 0	VAC/PSI	12	VAC/PSI	
		0		0		0		2201sc.		
DW-3	CHECKED BY	J.L.	CHECKED BY	MS	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	5:39 pm	TIME	11:26 am	TIME		TIME		TIME	
	GPM/PSI	2	GPM/PSI	5 | —	GPM/PSI		GPM/PSI		GPM/PSI	
	WATER LEVEL		Bubbling WATER LEVEL	10 PSI	WATER LEVEL		WATER LEVEL		WATER LEVEL	
	MCFD	585	MCFD	580	MCFD		MCFD		MCFD	
DW-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	GPM		GPM		GPM		GPM		GPM	
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY	T.L.	CHECKED BY		CHECKED BY	
	TIME	2:27 pm	TIME	9:04 am	TIME	517	TIME		TIME	
	MCFD	1165	MCFD	—	MCFD	1010.9	MCFD		MCFD	
	VAC/PSI	91	VAC/PSI	1 | —	VAC/PSI	.5	VAC/PSI		VAC/PSI	
		91	Discharge	35	5:32	.37				
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:17 pm	TIME		TIME		TIME		TIME	
	PSI	95	PSI		PSI		PSI		PSI	
8AH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:37 pm	TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	PSI	100	PSI		PSI		PSI		PSI	
8BH-1	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	4:09 pm	TIME	11:46 am	TIME		TIME		TIME	
	MCFD	822	MCFD	—	MCFD		MCFD		MCFD	
	VAC		VAC	1.5	VAC		VAC		VAC	
		86 PSI	Discharge	32						
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	

VERTICAL DEG[redacted] DAILY LOG

DA[redacted] 10/25/97 to 10/26/97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	FLOW		FLOW		FLOW		FLOW		FLOW						
	CH4		CH4		CH4		CH4		CH4						
DW-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	1:19a	TIME		TIME		TIME		TIME						
	MCFD	52	MCFD		MCFD		MCFD		MCFD						
	VAC/GPM	3	VAC/GPM		VAC/GPM		VAC/GPM		VAC/GPM						
	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE						
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
DW-2	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	1:50a	TIME		TIME		TIME		TIME						
	GPM	5	GPM		GPM		GPM		GPM						
	VAC/PSI	1.0 0	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI						
DW-3	CHECKED BY	WM	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	2:00a	TIME	3 HR	TIME		TIME		TIME						
	GPM/PSI	10 14	GPM/PSI	— 6	GPM/PSI		GPM/PSI		GPM/PSI						
	WATER LEVEL	22.5	WATER LEVEL	13.5	WATER LEVEL		WATER LEVEL		WATER LEVEL						
	MCFD	637	MCFD	650	MCFD		MCFD		MCFD						
DW-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	GPM		GPM		GPM		GPM		GPM						
7KH-2	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	4:30a	TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	VAC		VAC		VAC		VAC		VAC						
	air	on													
7KH-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	VAC		VAC		VAC		VAC		VAC						
7LH	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	3:22a	TIME		TIME		TIME		TIME						
	MCFD	945	MCFD		MCFD		MCFD		MCFD						
	VAC/PSI	.60	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI						
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:30p	TIME		TIME		TIME		TIME						
	PSI	90	PSI		PSI		PSI		PSI						
8AH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	12:45a	TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	PSI	95	PSI		PSI		PSI		PSI						
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	12:55a	TIME		TIME		TIME		TIME						
	MCFD	594	MCFD		MCFD		MCFD		MCFD						
	VAC	1.0	VAC		VAC		VAC		VAC						
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	FLOW		FLOW		FLOW		FLOW		FLOW						
	CH4		CH4		CH4		CH4		CH4						

VERTICAL DEGAS[illegible]LY LOG

DATE: October 27-28 1997

8N-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		
DW-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY		
	TIME	6:47pm		TIME	1:05pm		TIME	2:35pm		TIME			TIME		
	MCFD	52		MCFD			MCFD	51		MCFD			MCFD		
	VAC/GPM		3	VAC/GPM			VAC/GPM		3	VAC/GPM			VAC/GPM		
	BUBBLE TUBE	2 BS		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
DW-2	CHECKED BY	W.M		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY		
	TIME	6:33pm		TIME	7:45pm		TIME	2:9[illegible]pm		TIME			TIME		
	GPM	6		GPM	Pump Off		GPM	6		GPM			GPM		
	VAC/PSI	1.5	13	VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI		
					Low Water										
DW-3	CHECKED BY	W.M.		CHECKED BY			CHECKED BY	J.L.		CHECKED BY			CHECKED BY		
	TIME	7:41pm		TIME			TIME	2:45pm		TIME			TIME		
	GPM/PSI	30	6	GPM/PSI			GPM/PSI	7.5		GPM/PSI			GPM/PSI		
	WATER LEVEL	6.75		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	MCFD	585		MCFD			MCFD	592		MCFD			MCFD		
DW-4	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	GPM			GPM			GPM			GPM			GPM		
7KH-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD			MCFD			MCFD			MCFD			MCFD		
	VAC			VAC			VAC			VAC			VAC		
7KH-3	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD			MCFD			MCFD			MCFD			MCFD		
	VAC			VAC			VAC			VAC			VAC		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:32pm		TIME			TIME			TIME			TIME		
	MCFD	928		MCFD			MCFD			MCFD			MCFD		
	VAC/PSI		92	VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI		
6HLG	CHECKED BY	J.L.		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	~		TIME	3:35pm		TIME			TIME			TIME		
	PSI			PSI	90		PSI			PSI			PSI		
8AH-1	CHECKED BY	W.M		CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:32pm		TIME	5:45pm		TIME			TIME			TIME		
	MCFD	0		MCFD	0		MCFD			MCFD			MCFD		
	PSI	95		PSI	95		PSI			PSI			PSI		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:07pm		TIME			TIME			TIME			TIME		
	MCFD	662		MCFD			MCFD			MCFD			MCFD		
	VAC	-8		VAC			VAC			VAC			VAC		
	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		

VERTICAL DEGA[illegible]AILY LOG

DAT[illegible] October 29-30 1997

8N-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		
DW-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	847am		TIME	4:20pm		TIME			TIME			TIME		
	MCFD			MCFD			MCFD			MCFD			MCFD		
	VAC/GPM	2.5		VAC/GPM	2.1		VAC/GPM			VAC/GPM			VAC/GPM		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
DW-2	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	833am		TIME	4:9pm		TIME			TIME			TIME		
	GPM	5		GPM			GPM			GPM			GPM		
	VAC/PSI	1.0	3	VAC/PSI	1min		VAC/PSI			VAC/PSI			VAC/PSI		
					105psi										
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	934am		TIME	5:0pm		TIME			TIME			TIME		
	GPM/PSI	10	6	GPM/PSI	7.5		GPM/PSI			GPM/PSI			GPM/PSI		
	WATER LEVEL	675		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
	MCFD	533		MCFD	574		MCFD			MCFD			MCFD		
DW-4	CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY			CHECKED BY		
	TIME	90pm		TIME	Pressure		TIME	4:3pm		TIME			TIME		
	GPM	10		GPM	440		GPM	8.5		GPM			GPM		
Packer PSI	445	NOISE.		Bubble	140		Bubble	135PSI							
7KH-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD			MCFD			MCFD			MCFD			MCFD		
	VAC			VAC			VAC			VAC			VAC		
7KH-3	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD			MCFD			MCFD			MCFD			MCFD		
	VAC			VAC			VAC			VAC			VAC		
7LH	CHECKED BY	JL.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:3pm		TIME			TIME			TIME			TIME		
	MCFD	955		MCFD			MCFD			MCFD			MCFD		
	VAC/PSI		92	VAC/PSI			VAC/PSI			VAC/PSI			VAC/PSI		
6HLG	CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10am		TIME	8:0am		TIME			TIME			TIME		
	PSI	90		PSI	90		PSI			PSI			PSI		
8AH-1	CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY	Okay		CHECKED BY			CHECKED BY		
	TIME	734am		TIME	12:4pm		TIME	1:15pm		TIME			TIME		
	MCFD			MCFD			MCFD	Odd Lang		MCFD			MCFD		
	PSI	95		PSI	102		PSI	1.5		PSI			PSI		
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L		CHECKED BY	J.L		CHECKED BY	Okay	
	TIME	734am		TIME	12:2pm		TIME	3:3pm		TIME	5:4pm		TIME	1:15pm	
	MCFD	764		MCFD	690		MCFD	OK		MCFD	OK		MCFD	Hodrochar	
	VAC	.6		VAC	90 PSI		VAC			VAC			VAC	.10	
	CH4	72%			78%										
	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	CH4			CH4			CH4			CH4			CH4		

VERTICAL DEGAS DATA LOG

DATE: OCT 31 – NOV 1 1997

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		
	%CH4		CH4		CH4		CH4		CH4		
DW-1	CHECKED BY	TG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:45p	TIME	1:36a	TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		
	VAC/GPM	.10	VAC/GPM	2.5	VAC/GPM		VAC/GPM		VAC/GPM		
	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
DW-2	CHECKED BY	TG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:30p	TIME	4:20a	TIME		TIME		TIME		
	GPM		GPM	0.5	GPM		GPM		GPM		
	VAC/PSI	.20	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI		
	O2	.50									
DW-3 vac/dis	CHECKED BY	TG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:20p	TIME	1:23	TIME		TIME		TIME		
	GPM/PSI		GPM/PSI	6	GPM/PSI		GPM/PSI		GPM/PSI		
	[illegible]	30 6	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
	MCFD		MCFD	587	MCFD		MCFD		MCFD		
DW-4	CHECKED BY	Freddy	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:30	TIME		TIME		TIME		TIME		
	GPM	230	GPM		GPM		GPM		GPM		
		15+									
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		
	VAC		VAC		VAC		VAC		VAC		
7KH-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	MCFD		MCFD		MCFD		MCFD		MCFD		
	VAC		VAC		VAC		VAC		VAC		
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:37a	TIME		TIME		TIME		TIME		
	MCFD	937	MCFD		MCFD		MCFD		MCFD		
	VAC/PSI	92	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI		
6HLG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:30a	TIME		TIME		TIME		TIME		
	PSI	95	PSI		PSI		PSI		PSI		
8AH-1 suc/dis	CHECKED BY	TG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	8:00p	TIME	4:37a	TIME		TIME		TIME		
	MCFD	490	MCFD	490	MCFD		MCFD		MCFD		
	[illegible]	5 40	PSI	105	PSI		PSI		PSI		
	vac	.10									
8BH-1	CHECKED BY	TG	CHECKED BY	CORE	CHECKED BY	JL	CHECKED BY		CHECKED BY		
	TIME	8.30	TIME	hole	TIME	4:52a	TIME		TIME		
	MCFD	466.92	MCFD	TG	MCFD	464	MCFD		MCFD		
	VAC	.80	VAC		VAC		VAC		VAC		
	suc/dis	6 40	suc/dis	12 0	PSI	90					
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		
	FLOW		FLOW		FLOW		FLOW		FLOW		
	CH4		CH4		CH4		CH4		CH4		

VERTICAL DEGAS DAILY LOG

DATE: [redacted] Nov 97 3 Nov 97

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	%CH4		CH4		CH4		CH4		CH4	
DW-1	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:45	TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	VAC/GPM	2.5	VAC/GPM	22 4	VAC/GPM		VAC/GPM		VAC/GPM	
	BUBBLE TUBE		BUBBLE TUBE	2 PSI	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE	
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
DW-2	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:00p	TIME		TIME		TIME		TIME	
	GPM	.5	GPM		GPM		GPM		GPM	
	VAC/PSI	.8	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI	
DW-3	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:40a	TIME		TIME		TIME		TIME	
	GPM/PSI	7.5 5	GPM/PSI	8.5	GPM/PSI		GPM/PSI		GPM/PSI	
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
	MCFD	598	MCFD	593	MCFD		MCFD		MCFD	
DW-4	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:00a	TIME		TIME		TIME		TIME	
	GPM		GPM		GPM		GPM		GPM	
	MCFD	421	MCFD	278						
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	VAC		VAC		VAC		VAC		VAC	
7KH-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD		MCFD		MCFD		MCFD		MCFD	
	VAC		VAC		VAC		VAC		VAC	
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:00a	TIME		TIME		TIME		TIME	
	MCFD	920	MCFD		MCFD		MCFD		MCFD	
	VAC/PSI	92	VAC/PSI		VAC/PSI		VAC/PSI		VAC/PSI	
6HLG	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:10p	TIME		TIME		TIME		TIME	
	PSI	90	PSI	95	PSI		PSI		PSI	
8AH-1	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9:56p	TIME		TIME		TIME		TIME	
	MCFD	480	MCFD	461	MCFD		MCFD		MCFD	
	PSI		PSI	100	PSI		PSI		PSI	
	VAC	60								
8BH-1	CHECKED BY	WM	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:21p	TIME		TIME		TIME		TIME	
	MCFD	501	MCFD	512	MCFD		MCFD		MCFD	
	VAC	1.2	VAC		VAC		VAC		VAC	
	Borehole	36%	PSI	88						
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	

VERTICAL DEGAS DAILY LOG

DATE: [redacted] 4-5 1997

8N-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	FLOW			FLOW			FLOW			FLOW			FLOW						
	CH4			CH4			CH4			CH4			CH4						
DW-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME	1:55pm		TIME			TIME			TIME						
	MCFD	655		MCFD			MCFD			MCFD			MCFD						
	VAC/GPM	2.6		VAC/GPM	24		VAC/GPM			VAC/GPM			VAC/GPM						
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
DW-2	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	6:05pm		TIME	2:05pm		TIME			TIME			TIME						
	GPM	[redacted]		GPM			GPM			GPM			GPM						
	VAC/PSI	1.0	0	VAC/PSI	[illegible]	2	VAC/PSI			VAC/PSI			VAC/PSI						
		90 SCFM Pre Trial																	
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	3:15pm		TIME	1:45pm		TIME			TIME			TIME						
	GPM/PSI	6	0	GPM/PSI	25		GPM/PSI			GPM/PSI			GPM/PSI						
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL						
	MCFD	590		MCFD	573		MCFD			MCFD			MCFD						
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	MS		CHECKED BY			CHECKED BY						
	TIME	3:15pm		TIME	1:[illegible]pm		TIME	10:[illegible]am		TIME			TIME						
	GPM	42.4 6pm		GPM	4		GPM	60		GPM			GPM						
	WATER LEVEL	36		36.33 441 @ 12 MCFD	433		MCFD	438											
7KH-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD			MCFD			MCFD			MCFD			MCFD						
	VAC			VAC			VAC			VAC			VAC						
7KH-3	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD			MCFD			MCFD			MCFD			MCFD						
	VAC			VAC			VAC			VAC			VAC						
7LH	CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY	JO		CHECKED BY	OUT		CHECKED BY						
	TIME	1:05pm		TIME	5:[illegible]pm		TIME	C:5[illegible]		TIME	3:15pm		MCFD						
	MCFD	752		MCFD	761		MCFD	390		MCFD	35		VAC/PSI						
	VAC/PSI		91	VAC/PSI			VAC/PSI	-	100	VAC/PSI									
										[illegible]	.5								
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	12:35pm		TIME			TIME			TIME			TIME						
	PSI	90		PSI			PSI			PSI			PSI						
8AH-1	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY						
	TIME	[illegible]ST		TIME	12:[illegible]pm		TIME	6:[illegible]pm		TIME			TIME						
	MCFD	433		MCFD	409		MCFD			MCFD			MCFD						
	PSI			PSI			PSI			PSI			PSI						
	[illegible]	.4			.4														
8BH-1	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY						
	TIME	7:59		TIME	9:[illegible]pm		TIME	6:[illegible]pm		TIME			TIME						
	MCFD	736		MCFD	760		MCFD	759		MCFD			MCFD						
	VAC Pressure	.5		VAC	.5		VAC			VAC			VAC						
					∞		PSI	88											
	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	FLOW			FLOW			FLOW			FLOW			FLOW						
	CH4			CH4			CH4			CH4			CH4						

VERTICAL DEGAS DAILY LOG

DATE: [redacted] 6-7-99

8N-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	FLOW		FLOW		FLOW		FLOW		FLOW						
	%CH4		CH4		CH4		CH4		CH4						
DW-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	VAC/GPM		VAC/GPM		VAC/GPM		VAC/GPM		VAC/GPM						
	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE						
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
DW-2	CHECKED BY	W.M	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	12:3[illegible]	TIME	4:0[illegible]	TIME		TIME		TIME						
	GPM	3	GPM	1.15	GPM		GPM		GPM						
	VAC/PSI	1.0 | 2	VAC/PSI	6	VAC/PSI		VAC/PSI		VAC/PSI						
		1.0		100%											
DW-3	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	3:3[illegible]	TIME		TIME		TIME		TIME						
	GPM/PSI	55	GPM/PSI		GPM/PSI		GPM/PSI		GPM/PSI						
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL						
	MCFD	530	MCFD		MCFD		MCFD		MCFD						
DW-4	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	GPM	4	GPM		GPM		GPM		GPM						
	mcfd	440													
7KH-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	VAC		VAC		VAC		VAC		VAC						
7KH-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD		MCFD		MCFD		MCFD		MCFD						
	VAC		VAC		VAC		VAC		VAC						
7LH	CHECKED BY	J.L	CHECKED BY	JO	CHECKED BY	J.S.	CHECKED BY		CHECKED BY						
	TIME	3:[illegible]	TIME	11:40	TIME	5:07	TIME		TIME						
	MCFD	871	MCFD	—	MCFD	886	MCFD		MCFD						
	VAC/PSI	| 93	VAC/PSI	1 | —	VAC/PSI	| 92	VAC/PSI		VAC/PSI						
			Discharge	40		40									
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	5:0[illegible]	TIME		TIME		TIME		TIME						
	PSI	110	PSI		PSI		PSI		PSI						
8AH-1	CHECKED BY	W.M	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	10:5[illegible]	TIME	4:4[illegible]	TIME		TIME		TIME						
	MCFD	476	MCFD	470	MCFD		MCFD		MCFD						
	PSI		PSI	100	PSI		PSI		PSI						
	Under Auger	.4													
8BH-1	CHECKED BY	J.L.	CHECKED BY	J.L.	CHECKED BY	JO	CHECKED BY		CHECKED BY						
	TIME	12:3[illegible]	TIME	4:3[illegible]	TIME	2:12	TIME		TIME						
	MCFD	816	MCFD	783	MCFD	—	MCFD		MCFD						
	VAC	552	VAC		VAC	1	VAC		VAC						
		.3	PSI	85	Discharge	40									
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	FLOW		FLOW		FLOW		FLOW		FLOW						
	CH4		CH4		CH4		CH4		CH4						

VERTICAL DEGAS[illegible]ILY LOG

DATE: 11/8 to 11/9

DW-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-2	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:07a		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	0	1.55	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE	0 PSI		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-3	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:23p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	523		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	0	4	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE	0 PSI		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:50p		TIME			TIME			TIME			TIME		
	MCFD	850		MCFD			MCFD			MCFD			MCFD		
	GPM			GPM			GPM			GPM			GPM		
	BT	110													
7LH	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:37a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	791		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:15p		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		
8AH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:10a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	454		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY	6am		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:36a		TIME	2:30		TIME			TIME			TIME		
	MCFD/FLOW	775		MCFD/FLOW	938		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	0		VAC/SUC	36		VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	CH4	88%													

VERTICAL DE[redacted] DAILY LOG

DATE: Nov 10-11 1997

DW-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE	
DW-2	CHECKED BY	W.M.	CHECKED BY	WM	CHECKED BY	J.L	CHECKED BY		CHECKED BY	
	TIME	8:47 Am	TIME		TIME	5:49 Am	TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	1.2	VAC/SUC	1.2	VAC/SUC	OK	VAC/SUC		VAC/SUC	
	PSI/GPM	1.42	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
	BUBBLE TUBE	O	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE	
DW-3	CHECKED BY	W.M.	CHECKED BY	J.L	CHECKED BY	JO	CHECKED BY		CHECKED BY	
	TIME	9:32 Am	TIME	5:09 Pm	TIME	12:42 pm	TIME		TIME	
	MCFD/FLOW	516	MCFD/FLOW	533	MCFD/FLOW	575	MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM	O 5	PSI/GPM	9	PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
	BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE		BUBBLE TUBE	
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY	J.L.	CHECKED BY		CHECKED BY	
	TIME	9:13 Am	TIME		TIME	5:17 Pm	TIME		TIME	
	MCFD	80	MCFD		MCFD	324	MCFD		MCFD	
	GPM		GPM		GPM		GPM		GPM	
		80								
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	3:09 Pm	TIME		TIME		TIME		TIME	
	MCFD/FLOW	857	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM	93	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	PSI		PSI		PSI		PSI		PSI	
8AH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:43 Am	TIME	5:32 Pm	TIME		TIME		TIME	
	MCFD/FLOW	450	MCFD/FLOW	474	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM		PSI/GPM	102	PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
	[illegible]	.4								
8BH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:13 Am	TIME	5:41 Pm	TIME		TIME		TIME	
	MCFD/FLOW	755	MCFD/FLOW	773	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM		PSI/GPM	88	PSI/GPM		PSI/GPM		PSI/GPM	
	[illegible]	45%	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
	[illegible]	17								

VERTICAL DEGAS[illegible]LY LOG

DATE: Nov 12-13 1997

DW-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-2	CHECKED BY	J.L		CHECKED BY	JS		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	6:38 pm		TIME	10:23 AM		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	20		VAC/SUC	1.8	—	VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	1.47	Cond.	PSI/GPM	—	—	PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	Pump off		DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE	NORMAL		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-3	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:27 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	522		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM		6	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-4	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:04 pm		TIME			TIME			TIME			TIME		
	MCFD	468		MCFD			MCFD			MCFD			MCFD		
	GPM			GPM			GPM			GPM			GPM		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:33 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	871		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	90		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:42 am		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		
		∞													
8AH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:45 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	500		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	101		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	J.L.		CHECKED BY	JO		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:05 pm		TIME	11:09 AM		TIME			TIME			TIME		
	MCFD/FLOW	656		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	3	—	VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	88		PSI/GPM	—	—	PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE		
					—										

VERTICAL DEGA[illegible]AILY LOG

DAT[illegible] Nov 14-15 1997

DW-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-2	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:30		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	0	1.50	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-3	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11 39 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	502		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM		6	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE		
DW-4	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:37am		TIME			TIME			TIME			TIME		
	MCFD	441		MCFD			MCFD			MCFD			MCFD		
	GPM			GPM			GPM			GPM			GPM		
7LH	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:31p		TIME	12:57a		TIME			TIME			TIME		
	MCFD/FLOW	894.0		MCFD/FLOW	880		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.50	5	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	91		PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	46		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:35p		TIME	3:37a		TIME			TIME			TIME		
	PSI	everything		PSI	110		PSI			PSI			PSI		
		ok													
8AH-1	CHECKED BY			CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	8:20p		TIME	6:20a		TIME			TIME			TIME		
	MCFD/FLOW	446.89		MCFD/FLOW	470		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.20	8	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	102		PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	44		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	8:45p		TIME	4:22a		TIME			TIME			TIME		
	MCFD/FLOW	826.10		MCFD/FLOW	871		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	4.5	8	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	46		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		

TI - 5.15

VERTICAL DEGAS DAILY LOG

DATE: 11/6/97 to 11/17

DW-2	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:25pm		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	0		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			
		1:05p																	
DW-3	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:59pm		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	483		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	0	7.5	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	BUBBLE TUBE	0	PSI	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			
DW-4	CHECKED BY	W.M		CHECKED BY	TMS		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:44pm		TIME	8:44am		TIME			TIME			TIME			TIME			
	MCFD/FLOW	434		MCFD/FLOW	434459		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC	-	-	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM	-	60	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE	—		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	BUBBLE TUBE			BUBBLE TUBE	—		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			
7LH	CHECKED BY	J.L.		CHECKED BY	022V		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:15pm		TIME	40pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	905		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		2	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	J.L.		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	1:25pm		TIME	3:35pm		TIME			TIME			TIME			TIME			
	PSI	112		PSI	90		PSI			PSI			PSI			PSI			
8AH-1	CHECKED BY	WM		CHECKED BY	022V		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:04p		TIME	3:25pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	442		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.4		VAC/SUC	1.4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:41p		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	1018		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			

VERTICAL DEGAS [redacted]Y LOG

DATE: Nov. 18-19

DW-2	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5:3[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	24		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	-5	1.55	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE						
		1.0																	
DW-3	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5:0[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	506		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM		6	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE						
DW-4	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5:1[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	859		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
	BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE						
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	[illegible]:3[illegible]m		TIME			TIME			TIME			TIME						
	MCFD/FLOW	960		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	90		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:0[illegible]m		TIME			TIME			TIME			TIME						
	PSI	112		PSI			PSI			PSI			PSI						
8AH-1	CHECKED BY	J.L.		CHECKED BY	JO		CHECKED BY	JO		CHECKED BY			CHECKED BY						
	TIME	6:0[illegible]m		TIME	10:02 pm		TIME	4:1[illegible]m		TIME			TIME						
	MCFD/FLOW	418		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC	15	—	VAC/SUC	15		VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM	—	—	PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE	42		DISCHARGE	40		DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	J.L.		CHECKED BY	JO		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5:4[illegible]m		TIME	9:31 pm		TIME			TIME			TIME						
	MCFD/FLOW	862		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC	4.5	—	VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	88		PSI/GPM	—	—	PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE						
DW-5	CHECKED BY	J.L.		CHECKED BY	MS		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5:2[illegible]m		TIME	12:0[illegible] pm		TIME			TIME			TIME						
	MCFD/FLOW	471		MCFD/FLOW	47[illegible].58		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC	—	—	VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	13 Scc		PSI/GPM	—	25	PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE	5 Gals		DISCHARGE	—		DISCHARGE			DISCHARGE			DISCHARGE						

VERTICAL DEGAS D[redacted] LOG

DATE: NOV 20-21 1997

DW-2	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	6:25pm		TIME	3:03pm		TIME			TIME			TIME				
	MCFD/FLOW	8		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	2.5		VAC/SUC	2.1		VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM		1	PSI/GPM	7	3	PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
	BUBBLE TUBE	OPSI		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE				
					LK												
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	[redacted]		CHECKED BY			CHECKED BY				
	TIME	7:55pm		TIME	1:35pm		TIME	8:45AM		TIME			TIME				
	MCFD/FLOW	514		MCFD/FLOW	515		MCFD/FLOW	1515		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC	4.8		VAC/SUC			VAC/SUC				
	PSI/GPM		7.5	PSI/GPM		5.5	PSI/GPM		6	PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
	BUBBLE TUBE	OPSI		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE				
							valve	0									
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	7:47pm		TIME	1:27pm		TIME			TIME			TIME				
	MCFD/FLOW	887		MCFD/FLOW	885		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM		0	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
	BUBBLE TUBE	13 PSI		BUBBLE TUBE	25PSI		BUBBLE TUBE			BUBBLE TUBE			BUBBLE TUBE				
	W. Level	20.25															
7LH	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME			TIME			TIME			TIME			TIME				
	MCFD/FLOW	1011		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
6HLG	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	9:19pm		TIME	6:17pm		TIME			TIME			TIME				
	PSI	40		PSI	112		PSI			PSI			PSI				
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	OFF		CHECKED BY			CHECKED BY				
	TIME	11:19am		TIME	3:33pm		TIME	3:35pm		TIME			TIME				
	MCFD/FLOW	424		MCFD/FLOW	429		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	1.4		VAC/SUC			VAC/SUC	5		VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE	32		DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:31am		TIME	3:42pm		TIME			TIME			TIME				
	MCFD/FLOW	868		MCFD/FLOW	862		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	5.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM	90		PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY				
	TIME	6:53pm		TIME	1:38pm		TIME	4:09pm		TIME			TIME				
	MCFD/FLOW	512		MCFD/FLOW			MCFD/FLOW	50.9		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM	10	23	PSI/GPM			PSI/GPM		21	PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
	W. Level	18					Bubble	12PSI									

VERTICAL DEGAS[illegible]ILY LOG

DATE: 11/22 to 11/23/97

DW-2	CHECKED BY	WM		CHECKED BY	WM		CHECKED BY	Lee		CHECKED BY			CHECKED BY				
	TIME	9:54p		TIME	4:15a		TIME	12:00p		TIME			TIME				
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	1.9		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		4	DIS/GPM		1	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI	0		BUBBLE TUBE PSI	-5		BUBBLE TUBE PSI			BUBBLE TUBE PSI				
DW-3	CHECKED BY	WM		CHECKED BY			CHECKED BY	Lee		CHECKED BY			CHECKED BY				
	TIME	9:33a		TIME			TIME	12:30p		TIME			TIME				
	MCFD/FLOW	520		MCFD/FLOW			MCFD/FLOW	520		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	2		BUBBLE TUBE PSI			BUBBLE TUBE PSI	2		BUBBLE TUBE PSI			BUBBLE TUBE PSI				
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY	Lee		CHECKED BY			CHECKED BY				
	TIME	4:53a		TIME			TIME	1:00p		TIME			TIME				
	MCFD/FLOW	870		MCFD/FLOW			MCFD/FLOW	885		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	13		BUBBLE TUBE PSI			BUBBLE TUBE PSI	13		BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	WL	22.5															
DW-6	CHECKED BY			CHECKED BY			CHECKED BY	Lee		CHECKED BY			CHECKED BY				
	TIME			TIME			TIME	12:30p		TIME			TIME				
	MCFD/FLOW	542		MCFD/FLOW			MCFD/FLOW	540		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		23	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	10		BUBBLE TUBE PSI			BUBBLE TUBE PSI	10		BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	WaterLev	20.25															
8AH-1	CHECKED BY	WM		CHECKED BY	Lee		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	3:36a		TIME	11:20am		TIME			TIME			TIME				
	MCFD/FLOW	487		MCFD/FLOW	488		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	1.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE	38		DISCHARGE			DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY	WM		CHECKED BY	Lee		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	3:57a		TIME	11:33		TIME			TIME			TIME				
	MCFD/FLOW	851		MCFD/FLOW	855		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	5.7		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE	38		DISCHARGE			DISCHARGE			DISCHARGE				
7LH	CHECKED BY	WM		CHECKED BY	Lee		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:40p		TIME	9:15am		TIME			TIME			TIME				
	MCFD/FLOW	610		MCFD/FLOW	905		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE	38		DISCHARGE	45		DISCHARGE			DISCHARGE			DISCHARGE				
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	1:31a		TIME			TIME			TIME			TIME				
	PSI	90		PSI			PSI			PSI			PSI				

VERTICAL DEGAS DAILY LOG

DATE: NOV 24-25 97

DW-2	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9:45		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	27		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		2.10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-3	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	10:05		TIME	5:35		TIME			TIME			TIME			TIME			
	MCFD/FLOW	472		MCFD/FLOW	470		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		4	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI	OFF		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-4	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	10:15		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	847		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		30	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	5		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-5	CHECKED BY	W.M.		CHECKED BY	MS		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	10:35		TIME	11:30		TIME			TIME			TIME			TIME			
	MCFD/FLOW	545		MCFD/FLOW	551.95		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		23	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
				Water	9.15	Before Degas													
8AH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:54		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	433		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	W.M.		CHECKED BY	[illegible]		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:05		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	870		MCFD/FLOW	[illegible]		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	[illegible]	5.0																	
7LH	CHECKED BY			CHECKED BY	M-S		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	4:35		TIME	3:35		TIME			TIME			TIME			TIME			
	MCFD/FLOW	986		MCFD/FLOW	1038		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC	575		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE	46		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
		1.5																	
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	2:25		TIME			TIME			TIME			TIME			TIME			
	PSI	90		PSI			PSI			PSI			PSI			PSI			

VERTICAL DEGAS[illegible]LY LOG

DATE: Nov 26-27 97

DW-2	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	8:35 Am		TIME	4:30 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	2.5		VAC/SUC	0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		23 22	DIS/GPM		25	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI	-4.8 Gr 5.4		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9:35 Am		TIME	5:05 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	468		MCFD/FLOW	454		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		4	DIS/GPM		5	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9:35 Am		TIME	5:00 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	625		MCFD/FLOW	805		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	14		BUBBLE TUBE PSI	19 SOI		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
	Water Relieved	7.15																	
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	8:55 Am		TIME	5:45 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	556		MCFD/FLOW	561		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		23	DIS/GPM		24	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	8		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
		14.35																	
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7:35 Am		TIME	1:45 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	447		MCFD/FLOW	442		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	8:45 Am		TIME	1:35 Pm		TIME			TIME			TIME			TIME			
	MCFD/FLOW	840		MCFD/FLOW	835		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	4.9		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:35 Pm		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	984		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	PSI			PSI			PSI			PSI			PSI			PSI			

VERTICAL DEGAS [redacted] Y LOG

DATE: NOV 28-29 97

DW-2	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:27a		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		41	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	4		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
	O2	5.2																	
DW-3	CHECKED BY	JL		CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:47a		TIME	9:45am		TIME			TIME			TIME			TIME			
	MCFD/FLOW	555		MCFD/FLOW	430.50		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		6	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI			BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
DW-4	CHECKED BY	JL		CHECKED BY	JL		CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:35am		TIME	5:25a		TIME	9:30am		TIME			TIME			TIME			
	MCFD/FLOW	802		MCFD/FLOW			MCFD/FLOW	791.80		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM		30	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	18		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
							Feet	11.75											
DW-6	CHECKED BY	JL		CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:10a		TIME	9:10am		TIME			TIME			TIME			TIME			
	MCFD/FLOW	550		MCFD/FLOW	571.34		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE PSI	12-		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			
				Feet water	9.75														
8AH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY	Q24		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7:20p		TIME	1:17a		TIME	2:10pm		TIME			TIME			TIME			
	MCFD/FLOW	442		MCFD/FLOW	438		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	.56	8	VAC/SUC			VAC/SUC	1.5		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	40		DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY	Q24		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7:53p		TIME	3:30a		TIME	1:11pm		TIME			TIME			TIME			
	MCFD/FLOW	828		MCFD/FLOW	821		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	4.5	6	VAC/SUC			VAC/SUC	5		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM	85		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	42		DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY	Q24		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	6:45p		TIME	4:20a		TIME	10:30		TIME			TIME			TIME			
	MCFD/FLOW	977		MCFD/FLOW	980		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.5	2	VAC/SUC			VAC/SUC	1.5		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	42		DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	J-L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	10:57am		TIME			TIME			TIME			TIME			TIME			
	PSI	112		PSI			PSI			PSI			PSI			PSI			

VERTICAL DEGA[redacted]ILY LOG

DATE: Nov 30 – Dec 1 1997

DW-2	CHECKED BY	J.L.		CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY	J.L.	
	TIME	12:9[illegible]m		TIME	1:3[illegible]m		TIME	4:20		TIME	5:33		TIME	6:[illegible]m	
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.7		VAC/SUC	2.4		VAC/SUC	2.6	3.0	VAC/SUC	2.4		VAC/SUC	3.0	
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI	7.5 02		BUBBLE TUBE PSI			BUBBLE TUBE PSI	3.0 02		BUBBLE TUBE PSI	2.7 02		BUBBLE TUBE PSI	6.0 02	
DW-3	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:3[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	420		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
DW-4	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	720		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		31	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI	18.5		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
DW-5	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:1[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	590		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		0	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI	.2		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
8AH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:4[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	422		MCFD/FLOW	418		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:2[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	838		MCFD/FLOW	807		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	4.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	65		PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:30[illegible]m		TIME			TIME			TIME			TIME		
	MCFD/FLOW	1068		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		

VERTICAL DEGAS [redacted]Y LOG

DATE: Dec 2-3 1997

DW-2	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY			
	TIME	10 44 am	TIME	11:27 am	TIME		TIME		TIME			
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC	2-2	VAC/SUC	25	VAC/SUC		VAC/SUC		VAC/SUC			
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM			
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	8.2 oz	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI			
DW-3	CHECKED BY		CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY			
	TIME		TIME	12:18 pm	TIME		TIME		TIME			
	MCFD/FLOW		MCFD/FLOW	490	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC			
	DIS/GPM		DIS/GPM	5	DIS/GPM		DIS/GPM		DIS/GPM			
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI			
DW-4	CHECKED BY		CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY			
	TIME		TIME	12:23 pm	TIME		TIME		TIME			
	MCFD/FLOW		MCFD/FLOW	787	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC			
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM			
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	16.3" 18	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUDE PSI			
DW-5	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY			
	TIME	11:07 am	TIME	12:49 pm	TIME		TIME		TIME			
	MCFD/FLOW	596	MCFD/FLOW	591	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC			
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM			
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	20	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI			
	WATER LEVEL	14.35										
8AH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY	OMV	CHECKED BY		CHECKED BY			
	TIME	9 49 am	TIME	3:25 pm	TIME	4 pm	TIME		TIME			
	MCFD/FLOW	407	MCFD/FLOW	413	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC	1.3	VAC/SUC		VAC/SUC	1.5	VAC/SUC		VAC/SUC			
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM			
	DISCHARGE		DISCHARGE		DISCHARGE	41	DISCHARGE		DISCHARGE			
8BH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY	OMV	CHECKED BY		CHECKED BY			
	TIME	10 09 am	TIME	3:11 pm	TIME	4 pm	TIME		TIME			
	MCFD/FLOW	778	MCFD/FLOW	764	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC	5.5	VAC/SUC		VAC/SUC	4.5	VAC/SUC		VAC/SUC			
	PSI/GPM		PSI/GPM	88	PSI/GPM		PSI/GPM		PSI/GPM			
	DISCHARGE		DISCHARGE		DISCHARGE	42	DISCHARGE		DISCHARGE			
7LH	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY			
	TIME	1:45 pm	TIME		TIME		TIME		TIME			
	MCFD/FLOW	1076	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC			
	PSI/GPM	88	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM			
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE			
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY			
	TIME		TIME		TIME		TIME		TIME			
	PSI	112	PSI		PSI		PSI		PSI			

VERTICAL DEGAS DATALOG

DATE: Dec 4-5 97

DW-2	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	7:19 pm		TIME	10:07 pm		TIME			TIME			TIME				
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	20		VAC/SUC	25		VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
					8.8 oz												
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	6:37 pm		TIME	10:13 pm		TIME			TIME			TIME				
	MCFD/FLOW	427		MCFD/FLOW	426		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		5	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	W-Level	14.3															
DW-4	CHECKED BY	W.M		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	6:52 pm		TIME	4:15 pm		TIME			TIME			TIME				
	MCFD/FLOW	920		MCFD/FLOW	781		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM			DIS/GPM		35	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	18.5		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	W-Level	16.35															
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY				
	TIME	7:09 pm		TIME	10:32 pm		TIME	4:32 pm		TIME			TIME				
	MCFD/FLOW	375		MCFD/FLOW	780		MCFD/FLOW	720		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		7.5	DIS/GPM			DIS/GPM		7.5	DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI	55		BUBBLE TUBE PSI	35		BUBBLE TUBE PSI	18		BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	W-Level/Pressure	96.05															
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	7:44 pm		TIME	3:00 pm		TIME			TIME			TIME				
	MCFD/FLOW	400		MCFD/FLOW	391		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	1.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	3:32 pm		TIME			TIME			TIME			TIME				
	MCFD/FLOW	886		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM	81		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	12:45 pm		TIME			TIME			TIME			TIME				
	MCFD/FLOW	1040		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
6HLG	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	9:15 pm		TIME	5:30 pm		TIME			TIME			TIME				
	PSI	90		PSI	101		PSI			PSI			PSI				

VERTICAL DEGAS[redacted]LY LOG

DATE: 12/6 to 12/7 1997

DW-2	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:09 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	25		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
DW-3	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:15 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	685		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM	5		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Water	14.3																	
DW-4	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:35 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	635		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI	12		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Water	5.13																	
8AH-1	CHECKED BY	W.M		CHECKED BY	0224		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	2:15 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	330		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.3		VAC/SUC	1		VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE	4.2		DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	2:05 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	577		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
		4.3																	
7LH	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	2:15 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	1044		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
	Arrister	.6																	
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:17p		TIME			TIME			TIME			TIME						
	PSI	90		PSI			PSI			PSI			PSI						

VERTICAL DEGAS D[illegible]Y LOG

DATE: 8 Dec — 9 Dec 97

DW-2

	1	2	3	4	5
CHECKED BY	W.M.	J.L.			
TIME	8:30pm	1:00am			
MCFD/FLOW	618				
VAC/SUC	3.8	3.4			
DIS/GPM	6				
BUBBLE TUBE PSI					
[illegible] above coal	7.45	0[illegible]			

DW-3

	1	2	3	4	5
CHECKED BY	WM	J.L.			
TIME	8:16p	2:0[illegible]am			
MCFD/FLOW	700	685			
VAC/SUC					
DIS/GPM	5	4			
BUBBLE TUBE PSI					
Water L	14.3				

DW-4

	1	2	3	4	5
CHECKED BY	W.M.	J.L.	0224		
TIME	7:53pm	1:30am	4:15am		
MCFD/FLOW		0	772		
VAC/SUC			4		
DIS/GPM	30	20			
BUBBLE TUBE PSI		60			
W. Level above coal	139.4	Above coal 111"	Above coal 64 ft		

DW-5

	1	2	3	4	5
CHECKED BY					
TIME	1:30am				
MCFD/FLOW	602				
VAC/SUC					
DIS/GPM	3				
BUBBLE TUBE PSI	15				
	29				

8AH-1

	1	2	3	4	5
CHECKED BY	W.M.	J.L.			
TIME	9:33pm	12:00am			
MCFD/FLOW	365	345			
VAC/SUC	2.0				
PSI/GPM					
DISCHARGE					

8BH-1

	1	2	3	4	5
CHECKED BY	W.M.	J.L.			
TIME	9:35pm	12:25am			
MCFD/FLOW	930	881			
VAC/SUC	4.5				
PSI/GPM		86			
DISCHARGE					

7LH

	1	2	3	4	5
CHECKED BY	J.L.				
TIME	3:00am				
MCFD/FLOW	1118				
VAC/SUC					
PSI/GPM	91				
DISCHARGE					

6HLG

	1	2	3	4	5
CHECKED BY	J.L.				
TIME	3:15pm				
PSI	101				

VERTICAL DEGAS[illegible]LY LOG

DATE: Dec 10 – 11 97

DW-2	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	5:09 pm		TIME			TIME			TIME			TIME				
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
DW-3	CHECKED BY	W.M		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	12:08 pm		TIME	4:08 pm		TIME			TIME			TIME				
	MCFD/FLOW	435		MCFD/FLOW	440		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		5	DIS/GPM		3	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	Below	14.3		Below	12.0												
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY	FM		CHECKED BY			CHECKED BY				
	TIME	11:45 pm		TIME	4:35 pm		TIME	3:54 pm		TIME			TIME				
	MCFD/FLOW	840		MCFD/FLOW	792		MCFD/FLOW	750		MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC	7		VAC/SUC			VAC/SUC				
	DIS/GPM		30	DIS/GPM		30	DIS/GPM		20	DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI		16	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	Above Coal	10.8"		Above	1.6		Above Coal	295									
DW-5	CHECKED BY	W.M		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:05 pm		TIME	5:05 pm		TIME			TIME			TIME				
	MCFD/FLOW	584		MCFD/FLOW	585		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM		5	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI				
	Water Below	8.6"		Above	0.6												
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	10:55 pm		TIME	5:55 pm		TIME			TIME			TIME				
	MCFD/FLOW	395		MCFD/FLOW	385		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	17		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM	62		PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	10:23 pm		TIME	5:25 pm		TIME			TIME			TIME				
	MCFD/FLOW	803		MCFD/FLOW	790		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	4.9		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM			PSI/GPM	82		PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	3:35 pm		TIME			TIME			TIME			TIME				
	MCFD/FLOW	1135		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC				
	PSI/GPM	88		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM				
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE				
6HLG	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	8:35 pm		TIME	3:45 pm		TIME			TIME			TIME				
	PSI	90		PSI	101		PSI			PSI			PSI				

VERTICAL DEGAS DAILY LOG

DATE: Dec 12-13 97

DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
DW-3	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:14a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	378		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	3.5		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
	WL Below	14.3													
DW-4	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
DW-5	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	564		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE PSI	12		BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI		
	WL Below	23													
8AH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:30p		TIME	4:00a		TIME			TIME			TIME		
	MCFD/FLOW	381.46		MCFD/FLOW	380		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2	5	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	TG		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:45p		TIME	2:00a		TIME			TIME			TIME		
	MCFD/FLOW	767.69		MCFD/FLOW	766		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	4.5	6	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	42		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	JL		CHECKED BY	TG		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:36a		TIME	1127.3		TIME			TIME			TIME		
	MCFD/FLOW	1136		MCFD/FLOW	5:30p		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	.20	2	VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	87		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	46		DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:00p		TIME			TIME			TIME			TIME		
	PSI	88		PSI			PSI			PSI			PSI		

VERTICAL DE[illegible] DAILY LOG

DATE: 12/14 to 12/15

DW-2	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
DW-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	360	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	5	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	Below	14.3													
DW-4 wat lev in pit	CHECKED BY	WM	CHECKED BY		CHECKED BY	WM	CHECKED BY	WM	CHECKED BY	WM					
	TIME	10:[illegible]0a	TIME		TIME	12:20p	TIME	12:[illegible]p	TIME	3:33					
	MCFD/FLOW		MCFD/FLOW	[illegible]	MCFD/FLOW	570	MCFD/FLOW	685	MCFD/FLOW	565					
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI	10:47a 59.1"	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	Above	75"	59.1"		Above	66	Above	33.8	Above	56					
DW-5	CHECKED BY	WM	CHECKED BY	MS	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	11:41p	TIME	9:42a	TIME		TIME		TIME						
	MCFD/FLOW	550	MCFD/FLOW	0	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC	– –	VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM	– 6	DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE PSI		BUBBLE TUBE PSI	–	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI						
	Wat lvl	7.45	[illegible]	78.8											
8AH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	367	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	3.6	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	786	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	4.8	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
7LH	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	PSI	90	PSI		PSI		PSI		PSI						

VERTICAL DEGAS [redacted]Y LOG

DATE: 15 Dec – 16 Dec 97

DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
DW-3	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	8:10 Am		TIME			TIME			TIME			TIME						
	MCFD/FLOW	360		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC		4	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Below Coal	14.3																	
DW-4	CHECKED BY	J.L		CHECKED BY	J.L.		CHECKED BY	J.L		CHECKED BY	J.L		CHECKED BY	J.L					
	TIME	1:30 Pm		TIME	2:30 Pm		TIME	3:20 Pm		TIME	4:9 Pm		TIME	5:35 Pm					
	MCFD/FLOW	371		MCFD/FLOW	415		MCFD/FLOW	427		MCFD/FLOW	442		MCFD/FLOW	433					
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		30				
	BUBBLE TUBE PSI			BUBBLE TUBE PSI Above Coal	31		BUBBLE TUBE PSI Below Coal	0.01		BUBBLE TUBE PSI Above Coal	7.62		BUBBLE TUBE PSI Below Coal	2.7		6.4			
	Above Water	14.66		Above	12.66		Above	12.30		Above	12.1		Above	11.61		4.2			
																10			
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	8:30 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	540		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		3	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Below Coal	20.2																	
8AH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:13 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	340		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	30		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:3 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	745		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	55		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:15 Pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	1115		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
	Under Berm	0																	
DW4 [redacted]	CHECKED BY	JL		CHECKED BY	JL		CHECKED BY	JL		CHECKED BY	LG		CHECKED BY	LG					
	TIME	7:04 Am		TIME	7:32 Am		TIME	8:12 Am		TIME	9:30 Am		TIME	10:25 Am					
	[redacted] PSI	444		[redacted] PSI	452		[redacted] PSI	462		[redacted] PSI	435		[redacted] PSI	480					
	Bottom Tube PSI	10.46		Bottom Tube PSI	11.15		[redacted] Tube PSI	10.92		Bottom Tube PSI	10.35		Bottom Tube PSI	10.15					
	Water Level	10.46 Below Coal		Water Level	3.5 Below Coal		Water Level	4.5 Below Coal		Water Level	5.4 Below Coal		Water Level	6.1 Below Coal					

CONTINUED ON BACK OF SHEET

VERTICAL DEGAS[illegible]LY LOG

DATE: 16 Dec - 17 Dec 97

DW-2	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	JS		CHECKED BY			CHECKED BY						
	TIME	5[illegible]		TIME	3:[illegible]		TIME	10:[illegible]		TIME			TIME						
	MCFD/FLOW	345		MCFD/FLOW	348		MCFD/FLOW	0		MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC	—	—	VAC/SUC			VAC/SUC						
	DIS/GPM		4	DIS/GPM		4	DIS/GPM	—	4	DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI	0		BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Below Coal	14-3		Below	14.3		VAC Bell	12											
DW-4 Continue on back	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY	J.L.		J.L.			
	TIME	6[illegible]		TIME	8[illegible]		TIME	10[illegible]		TIME	12:[illegible]		TIME	3:[illegible]		5:[illegible]			
	MCFD/FLOW	550		MCFD/FLOW	735		MCFD/FLOW	600		MCFD/FLOW	671		MCFD/FLOW	720		736			
	VAC/SUC	15/8		VAC/SUC	Burn 13/8		VAC/SUC	15/8		VAC/SUC	13		VAC/SUC	11					
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM	3 Backup		DIS/GPM	8 Backup		8 VAC Level			
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI	7.8		8.06 PSI			
	Below Coal	5-3		Below Coal	8.06		Below Coal	5-3		Below	8.0		Below	11.8		13.2 Below			
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	5[illegible]		TIME	3:[illegible]		TIME			TIME			TIME						
	MCFD/FLOW	555		MCFD/FLOW	538		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		375	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI			BUBBLE TUBE PSI						
	Below Coal	19.55		Below	19.5														
8AH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	JD		CHECKED BY			CHECKED BY						
	TIME	6[illegible]		TIME	4:[illegible]		TIME	1033		TIME			TIME						
	MCFD/FLOW	370		MCFD/FLOW	366		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2-7		VAC/SUC			VAC/SUC	2	—	VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM	—	—	PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE	42		DISCHARGE			DISCHARGE						
								—											
8BH-1	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	JD		CHECKED BY			CHECKED BY						
	TIME	6[illegible]		TIME	4:[illegible]		TIME	10:[illegible]		TIME			TIME						
	MCFD/FLOW	762		MCFD/FLOW	777		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	4.8		VAC/SUC			VAC/SUC	4.5	—	VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM	83		PSI/GPM	—	—	PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE	55		DISCHARGE			DISCHARGE						
								—											
7LH	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	1119		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM	82		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9[illegible]		TIME			TIME			TIME			TIME						
	PSI	90		PSI			PSI			PSI			PSI						

VERTICAL DEGAS[illegible]LY LOG Happy New Year

DATE: Dec 31st 1997 – January 1st 1998

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI	
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
DW-3	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:[illegible]am	TIME		TIME		TIME		TIME	
	MCFD/FLOW	423	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI	
	WATER LEVEL	13.7	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
		Below								
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:[illegible]am	TIME		TIME		TIME		TIME	
	MCFD/FLOW	460	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	5.5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI	
	WATER LEVEL	.7	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
		Below								
DW-5	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10[illegible]	TIME		TIME		TIME		TIME	
	MCFD/FLOW	403	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI		BUBBLE TUBE PSI	
	WATER LEVEL	25-3	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
8AH-1	CHECKED BY	W.M	CHECKED BY	TC	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:[illegible]pm	TIME	9:02	TIME		TIME		TIME	
	MCFD/FLOW	230	MCFD/FLOW	238.63	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC	1 10	VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM		PSI/GPM	– –	PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE	
	BUBBLE TUBE PSI	1.5		–						
8BH-1	CHECKED BY	W.M.	CHECKED BY	TC	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:[illegible]pm	TIME	9:3[illegible]am	TIME		TIME		TIME	
	MCFD/FLOW	710	MCFD/FLOW	732.45	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC	4.5 6	VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM		PSI/GPM	– –	PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE		DISCHARGE	46	DISCHARGE		DISCHARGE		DISCHARGE	
	BUBBLE TUBE PSI	5.0		–						
7LH	CHECKED BY	JO	CHECKED BY	TC	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9:5[illegible]am	TIME	13:0[illegible]pm	TIME		TIME		TIME	
	MCFD/FLOW	–	MCFD/FLOW	1169.2	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	0 –	VAC/SUC	0 2	VAC/SUC		VAC/SUC		VAC/SUC	
	PSI/GPM	– –	PSI/GPM	– –	PSI/GPM		PSI/GPM		PSI/GPM	
	DISCHARGE	52	DISCHARGE	52	DISCHARGE		DISCHARGE		DISCHARGE	
	–	–	–	–						
6HLG	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	4:[illegible]pm	TIME		TIME		TIME		TIME	
	PSI	75	PSI		PSI		PSI		PSI	

VERTICAL DEGAS[illegible]ILY LOG

DATE: Jan 98 - 2[illegible]Jan 98

9N-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:14	TIME		TIME		TIME		TIME	
	FLOW	716	FLOW		FLOW		FLOW		FLOW	
	CH4	38	CH4		CH4		CH4		CH4	
9N-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9:17	TIME		TIME		TIME		TIME	
	FLOW	0/0	FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4	
7J-8.5	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	695	FLOW		FLOW		FLOW		FLOW	
	CH4	40	CH4		CH4		CH4		CH4	
7K-3	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	
7K-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	
7K-5	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4	
7K-6	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	2:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	968	FLOW		FLOW		FLOW		FLOW	
	CH4	45	CH4		CH4		CH4		CH4	
7K-7	CHECKED BY	J.L	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	1501	FLOW		FLOW		FLOW		FLOW	
	CH4	50	CH4		CH4		CH4		CH4	
7-G1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4	
7-H1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	569	FLOW		FLOW		FLOW		FLOW	
	CH4	40	CH4		CH4		CH4		CH4	
7-K1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	1:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	211	FLOW		FLOW		FLOW		FLOW	
	CH4	25	CH4		CH4		CH4		CH4	
7I-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:[illegible]	TIME		TIME		TIME		TIME	
	FLOW	OFF	FLOW		FLOW		FLOW		FLOW	
	CH4	Low	CH4		CH4		CH4		CH4	
--	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	
	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	FLOW		FLOW		FLOW		FLOW		FLOW	
	CH4		CH4		CH4		CH4		CH4	

VERTICAL DEGAS DAILY LOG

DATE Jan 3 - Jan 4

	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY										
	TIME		TIME		TIME		TIME		TIME										
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM										
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI										
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL										
DW-3	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	11:50p	TIME	2:55pm	TIME		TIME		TIME										
	MCFD/FLOW	503	MCFD/FLOW	315	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM		DIS/GPM	15	DIS/GPM		DIS/GPM		DIS/GPM										
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI										
	WATER LEVEL	18.3	WATER LEVEL	26 FT	WATER LEVEL		WATER LEVEL		WATER LEVEL										
	ABOVE/BELOW	Below	ABOVE/BELOW	BL	ABOVE/BELOW		ABOVE/BELOW		ABOVE/BELOW										
			GPM	15															
DW-4	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	11:30p	TIME	2:52pm	TIME		TIME		TIME										
	MCFD/FLOW	430	MCFD/FLOW	470	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	COMP VAC	8.5	COMP VAC	8	COMP VAC		COMP VAC		COMP VAC										
	BLOW VAC	3	BLOW VAC		BLOW VAC		BLOW VAC		BLOW VAC										
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI										
	WATER LEVEL	3.0	WATER LEVEL	5 FT	WATER LEVEL		WATER LEVEL		WATER LEVEL										
	ABOVE/BELOW	Below	ABOVE/BELOW	Below	ABOVE/BELOW		ABOVE/BELOW		ABOVE/BELOW										
			GPM	20															
DW-5	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	11:20p	TIME	2:13pm	TIME		TIME		TIME										
	MCFD/FLOW	381	MCFD/FLOW	370	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC										
	DIS/GPM		DIS/GPM	4	DIS/GPM		DIS/GPM		DIS/GPM										
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI										
	WATER LEVEL	25.3	WATER LEVEL	37	WATER LEVEL		WATER LEVEL		WATER LEVEL										
	ABOVE/BELOW	Below	ABOVE/BELOW	Below	ABOVE/BELOW		ABOVE/BELOW		ABOVE/BELOW										
8AH-1	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	12:30a	TIME	1:08pm	TIME		TIME		TIME										
	MCFD/FLOW	294	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC	1.6	VAC/SUC	2	VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE		DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE										
8BH-1	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	12:20a	TIME	1:26pm	TIME		TIME		TIME										
	MCFD/FLOW	680	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC	1.9	VAC/SUC	2	VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE		DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE										
7LH	CHECKED BY	WM	CHECKED BY	OZZY	CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	5:09a	TIME	10:45pm	TIME		TIME		TIME										
	MCFD/FLOW	1357	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW										
	VAC/SUC	.6	VAC/SUC	0	VAC/SUC		VAC/SUC		VAC/SUC										
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM										
	DISCHARGE		DISCHARGE	41	DISCHARGE		DISCHARGE		DISCHARGE										
	pressure																		
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY										
	TIME	1:25a	TIME		TIME		TIME		TIME										
	PSI	90	PSI		PSI		PSI		PSI										

VERTICAL DEGAS[illegible]ILY LOG

DATE: 6 Jan 98 — 7 Jan 98

	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
DW-3	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:[illegible]pm		TIME	5:3[illegible]pm		TIME			TIME			TIME		
	MCFD/FLOW	483		MCFD/FLOW	493		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	20.6		WATER LEVEL	18.3		WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:4[illegible]pm		TIME	2:[illegible]pm		TIME			TIME			TIME		
	MCFD/FLOW	562		MCFD/FLOW	493		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	8		COMP VAC	10		COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC	3		BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	5.3		WATER LEVEL	3.05		WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	8:[illegible]pm		TIME	6:[illegible]pm		TIME			TIME			TIME		
	MCFD/FLOW	360		MCFD/FLOW	356		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	25.3		WATER LEVEL	16.1		WATER LEVEL			WATER LEVEL			WATER LEVEL		
	ABOVE/BELOW	3[illegible]		ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW			ABOVE/BELOW		
8AH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:[illegible]pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	37		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	80		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	J.L.		CHECKED BY	J.O.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:[illegible]pm		TIME	3:29pm		TIME			TIME			TIME		
	MCFD/FLOW	685		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	2.5		VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	64		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	40		DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	W.M.		CHECKED BY	JO		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:3[illegible]pm		TIME	11:3[illegible]pm		TIME			TIME			TIME		
	MCFD/FLOW	1830		MCFD/FLOW	—		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	0	—	VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM	—	—	PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	45		DISCHARGE			DISCHARGE			DISCHARGE		
		.8 Ans			—										
6HLG	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:4[illegible]pm		TIME			TIME			TIME			TIME		
	PSI	94		PSI			PSI			PSI			PSI		

VERTICAL DEGAS DAILY LOG

DATE 2/1/98 to 2/2/98

7MH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:10a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	720		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:37pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	447		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	3.7	10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-4	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:09pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	275		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	9		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC	3		BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	4.15	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:17pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	250		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	2.5	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
8AH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:45am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	167		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:47pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	517		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:20a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	901		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:45a		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		

VERTICAL DEGA[redacted]AILY LOG

DA[redacted]3 Feb 98 — 4 Feb 98

1:17 Am

7MH-1	CHECKED BY	J.L.		CHECKED BY	JO		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:15		TIME	2:[illegible]Pm		TIME			TIME			TIME		
	MCFD/FLOW	683		MCFD/FLOW	902		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	—	—	VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	82		BUBBLE TUBE - PSI	IPSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:[illegible]Am		TIME	4:25Pm		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	60	10	DIS/GPM	64	10	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	6:[illegible]Am		TIME	4:35Pm		TIME			TIME			TIME		
	MCFD/FLOW	160		MCFD/FLOW	119		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	12		COMP VAC	12		COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	5.3		WATER LEVEL	4.13		WATER LEVEL			WATER LEVEL			WATER LEVEL		
		A OR (B)			A OR (B)			A OR B			A OR B			A OR B	
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:[illegible]Am		TIME	4:5Pm		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW	153		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		6	DIS/GPM		6	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	11.5		WATER LEVEL	9.2		WATER LEVEL			WATER LEVEL			WATER LEVEL		
		(A) OR B			(A) OR B			A OR B			A OR B			A OR B	
8AH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	175		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:[illegible]Am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	489		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:[illegible]Pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	805		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	83		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:[illegible]Am		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		

VERTICAL DEGAS DAILY LOG

DATE: 5 Feb 98 — 6 Feb 08

7MH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:30pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	1001		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	82		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:31am		TIME	5:15pm		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	32		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	62	10	DIS/GPM	60	10	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-4	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:25am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	200		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	11		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	53	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-5	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:34am		TIME	5:35pm		TIME			TIME			TIME		
	MCFD/FLOW	252		MCFD/FLOW	242		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	3.5		DIS/GPM		4	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	23	A OR B	WATER LEVEL	19.55	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
8AH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:37pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	140		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.5		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	6:58pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	493		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	23		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	626		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	80		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI	96		PSI			PSI			PSI			PSI		

163
18.9
20

VERTICAL DEGAS DAILY LOG

DA[redacted] 2/7 to 2/8

7MH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:35a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	795		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.6		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:22p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	518		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		0	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:36p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	245		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	10		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC			BLOW VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	5.3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-5	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:20p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	233		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		3.75	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	27.6	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
8AH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:50p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	140		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.30		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:00p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	526		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:00a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	711		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.4		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:20p		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		

VERTICAL DEGAS D[redacted]Y LOG

DATE: 4 Feb 98 — 10 Feb 98

7MH-1	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1062	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI	80	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
DW-6	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1152	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	420	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	7.5	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	9.9 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1153	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	235	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		
	WATER LEVEL	29.9 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
8AH-1	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1037	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	150	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	.4	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1047	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	547	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	2.4	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	774	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	PSI/GPM	79	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
6HLG	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	93	PSI		PSI		PSI		PSI		PSI		PSI		

VERTICAL DEGA[redacted]AILY LOG

DATE: 11 Feb 98 | 12 Feb 98

7MH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:34a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	995		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	87		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-4	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	8:[redacted]a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	482		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	7.5		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	12.2	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-5	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:0[redacted]p		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	38		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	6:5[redacted]a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	593		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:[redacted]p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	855		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		

VERTICAL DEGAS D[redacted] LOG

DATE: 2-14 to 2-15

7MH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	3:35 pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	880		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	16		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
DW-6	CHECKED BY	W.M		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	3:02 pm		TIME	6:02 pm		TIME			TIME			TIME						
	MCFD/FLOW	650		MCFD/FLOW	538		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		12	DIS/GPM	58	12	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-4	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY	W.M		CHECKED BY						
	TIME	11:05 am		TIME	12:44 pm		TIME	2:25 pm		TIME	5:15 pm		TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC						
	BUBBLE TUBE - PSI	[redacted]		BUBBLE TUBE - PSI	23		BUBBLE TUBE - PSI	23		BUBBLE TUBE - PSI	23		BUBBLE TUBE - PSI						
	WATER LEVEL	[redacted]	(A) OR B	WATER LEVEL	[redacted]	(A) OR B	WATER LEVEL	21.9	(A) OR B	WATER LEVEL	26.9	A OR B	WATER LEVEL		A OR B				
DW-5	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	2:35 pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	12:15 pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	495		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	1.9		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	4:29 pm		TIME			TIME			TIME			TIME						
	MCFD/FLOW	703		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	PSI	25		PSI			PSI			PSI			PSI						

VERTICAL DEGAS[illegible]ILY LOG

DATE: 16 Feb 98 17 Feb 98

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	2:09pm	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	769	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE - PSI	87	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI				
DW-6	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	2:09pm	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	291	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM	7 0	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI				
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
DW-4	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	1:29pm	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC				
	BUBBLE TUBE - PSI	13	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI				
	WATER LEVEL	3.9 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI				
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
8B H-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	2:30	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	530	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	2.2	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
8A H-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
7LH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	9:33am	TIME	3:07pm	TIME		TIME		TIME		TIME				
	MCFD/FLOW	778	MCFD/FLOW	880	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	1.6	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	PSI/GPM		PSI/GPM	84	PSI/GPM		PSI/GPM		PSI/GPM		PSI/GPM				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
				84											
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	PSI		PSI		PSI		PSI		PSI		PSI				

291

VERTICAL DEGAS [redacted]Y LOG

DATE: 18 Feb 98 — 19 Feb 98

7MH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	1050		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	86		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
DW-8	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11 [illegible]		TIME	4:33		TIME			TIME			TIME			TIME			
	MCFD/FLOW	430		MCFD/FLOW	490		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM	42	[illegible]	DIS/GPM	56	7	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		
DW-4	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9 [illegible]		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	473		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC	7.5		COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	3 A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		
DW-5	CHECKED BY	[illegible]		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME	4:5		TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	89		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11 [illegible]		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	664		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	15		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	1:00		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	682		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	84		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7 [illegible]		TIME			TIME			TIME			TIME			TIME			
	PSI	90		PSI			PSI			PSI			PSI			PSI			

VERTICAL DEGASSING DAILY LOG

DATE: 20 Feb 98 — 21 Feb 98

7MH-1	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:30a		TIME	1:22p		TIME			TIME			TIME						
	MCFD/FLOW	926.49		MCFD/FLOW	920		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM	50		DIS/GPM	50		DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	87		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
DW-6	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	4:37p		TIME			TIME			TIME			TIME						
	MCFD/FLOW	445		MCFD/FLOW	436		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM	54	10	DIS/GPM	42	9	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-4	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	4:03p		TIME			TIME			TIME			TIME						
	MCFD/FLOW	583.27		MCFD/FLOW	620		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	COMP VAC	5		COMP VAC	5		COMP VAC			COMP VAC			COMP VAC						
	BUBBLE TUBE - PSI	9		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	5.3	A OR (B)	WATER LEVEL	12.85	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-5	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	S.S.		CHECKED BY	JL		CHECKED BY	OKU		CHECKED BY			CHECKED BY						
	TIME	5:19p		TIME			TIME	11:15a		TIME			TIME						
	MCFD/FLOW	515.94		MCFD/FLOW	513		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC	8		VAC/SUC			VAC/SUC						
	PSI/GPM	80		PSI/GPM	81		PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE	58		DISCHARGE			DISCHARGE	50		DISCHARGE			DISCHARGE						
7LH	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY	OKU		CHECKED BY			CHECKED BY						
	TIME	8:37a		TIME			TIME	9:45am		TIME			TIME						
	MCFD/FLOW	647.35		MCFD/FLOW	682		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC	2		VAC/SUC			VAC/SUC						
	PSI/GPM	84		PSI/GPM	85		PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE	50		DISCHARGE	46		DISCHARGE	50		DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	12:00p		TIME			TIME			TIME			TIME						
	PSI	101		PSI			PSI			PSI			PSI						

VERTICAL DEGAS DA[redacted]LOG

DATE: 2/22 to 2/23

7MH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	2:1[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	931		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	150		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
DW-6	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:5[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	430		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM		10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-4	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:2[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	620		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL	4.15	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
DW-5	CHECKED BY	W.M.		CHECKED BY	JS		CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	9:3[illegible]		TIME	11:33		TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW	/		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC	—	—	VAC/SUC			VAC/SUC			VAC/SUC						
	DIS/GPM			DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM						
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	/		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI						
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B				
				2/23/15	3:05:1														
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME			TIME			TIME			TIME			TIME						
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
8BH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	10:3[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	539		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
7LH	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	1:4[illegible]		TIME			TIME			TIME			TIME						
	MCFD/FLOW	626		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW						
	VAC/SUC	2.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC						
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM						
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE						
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY						
	TIME	11:3[illegible]		TIME			TIME			TIME			TIME						
	PSI	90		PSI			PSI			PSI			PSI						

260
852
127.1

VERTICAL DEGAS DAILY LOG

DATE: 24 Feb 98 — 25 Feb 98

7MH-1	CHECKED BY	J.L.		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME		TIME			TIME			TIME			
	MCFD/FLOW	1024		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM	50		DIS/GPM		DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	88		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
DW-6	CHECKED BY	W.M.		CHECKED BY	J.L.	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:1[illegible]		TIME	4:0[illegible]	TIME			TIME			TIME			
	MCFD/FLOW	400		MCFD/FLOW	398	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		10	DIS/GPM	52	DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL		A OR B	WATER LEVEL	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL			A OR B
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.	CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:4[illegible]		TIME	4:2[illegible]	TIME			TIME			TIME			
	MCFD/FLOW	655		MCFD/FLOW	653	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC	4		COMP VAC	9	COMP VAC			COMP VAC			COMP VAC			
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI	14 Outlet	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL	9.9	A OR (B)	WATER LEVEL	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL			A OR B
DW-5	CHECKED BY	J.L.		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	5:0[illegible]		TIME		TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		54	DIS/GPM		DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE - PSI	82		BUBBLE TUBE - PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			
	WATER LEVEL		A OR B	WATER LEVEL	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL			A OR B
8AH-1	CHECKED BY			CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME		TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	W.M.		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:5[illegible]		TIME		TIME			TIME			TIME			
	MCFD/FLOW	560		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	1.7		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM			PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE			DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE			
7LH	CHECKED BY	J.L.		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	9:0[illegible]		TIME		TIME			TIME			TIME			
	MCFD/FLOW	571		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			
	PSI/GPM	83		PSI/GPM		PSI/GPM			PSI/GPM			PSI/GPM			
	DISCHARGE	48		DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE			
6HLG	CHECKED BY	W.M.		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	1[illegible]		TIME		TIME			TIME			TIME			
	PSI	90		PSI		PSI			PSI			PSI			

VERTICAL DEGAS D[redacted] LOG

DATE: 2/26 to 2/27

7MH-1	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:09p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	828		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	30		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	98 PSI		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
DW-6	CHECKED BY	J.G.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:09a		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	9		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	F		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	F		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	8:25a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	684		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	4		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	12.2	A OR (B)	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-5	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:55p		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	62		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI	57		BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:11a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	638		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	17		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:15p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	731		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM	81		PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE	36		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	J.L		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:15p		TIME			TIME			TIME			TIME		
	PSI	102		PSI			PSI			PSI			PSI		

VERTICAL DEGA[redacted]AILY LOG

DATE: 2/28 -10 2/29

7MH-1	CHECKED BY	DLG		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10[redacted]am		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	Discharge	48													
DW-6	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:10a		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	55		DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	no wat.	A OR B	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-4	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:17a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	654		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	4		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL	13.35	A OR (B)	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
DW-5	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI			BUBBLE TUBE - PSI		
	WATER LEVEL		A OR B	WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B		WATER LEVEL	A OR B	
8AH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:30a		TIME			TIME			TIME			TIME		
	MCFD/FLOW	552		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1.3		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH	CHECKED BY	WM		CHECKED BY	DLG		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:30a		TIME	10:[redacted]am		TIME			TIME			TIME		
	MCFD/FLOW	584		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.2		VAC/SUC	2		VAC/SUC			VAC/SUC			VAC/SUC		
	PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM			PSI/GPM		
	DISCHARGE			DISCHARGE	48		DISCHARGE			DISCHARGE			DISCHARGE		
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:04a		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		

VERTICAL DEGAS DAILY LOG

DATE: 2 Mar 98 — 3 Mar

7MH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:45 Am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1287	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	~~VAC~~/SUC	.8	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	6:3??	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	Off	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:4??	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	671	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.3	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:4??	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	643	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	5	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	9.9 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	4:4??	TIME		TIME		TIME		TIME		TIME		TIME		
	GPM		GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-6	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	PSI		PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME		TIME		TIME		TIME		TIME		TIME		
			FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		
7I	CHECKED BY		CHECKED BY		PUMPS		5A		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME						TIME		TIME		TIME		
	LEVEL		LEVEL						LEVEL		LEVEL		LEVEL		
									GPM		GPM		GPM		
									2 STATUS		2 STATUS		2 STATUS		
									1&3 STATUS		1&3 STATUS		1&3 STATUS		

VERTICAL DEGAS DAILY LOG

DATE: Mar 98 — 5 Mar 98

7MH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1294	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	.5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:05	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	86 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	679	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	77	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:03	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	648	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	5	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	16.8	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	GPM	K	GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI	G	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-6	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	K	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	C	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2222	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	91	PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME		TIME		TIME		TIME		TIME		TIME		
			FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		
7I	CHECKED BY		CHECKED BY		PUMPS	5A	CHECKED BY		CHECKED BY						
	TIME		TIME				TIME		TIME						
	LEVEL		LEVEL				LEVEL		LEVEL						
							GPM		GPM						
							2 STATUS		2 STATUS						
							1&3 STATUS		1&3 STATUS						

VERTICAL DEGAS DAILY LOG

DATE: 6 Mar 98 — 7 Mar 98

7MH-1	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	8 Pm		TIME	3:30a		TIME			TIME			TIME			TIME			
	MCFD/FLOW	1360.1		MCFD/FLOW	1361		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI	88		BUBBLE TUBE OR PSI	87		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE	36		DISCHARGE	38		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
7LH-1	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	7 Pm		TIME	3:30a		TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI	54		BUBBLE TUBE OR PSI	85		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	4 Pm		TIME	4:12a		TIME			TIME			TIME			TIME			
	MCFD/FLOW	652.28		MCFD/FLOW	6063		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	78		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE	38		DISCHARGE	37		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
	AMP-hr	78																	
DW-4	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	4 Pm		TIME	6:00a		TIME			TIME			TIME			TIME			
	MCFD/FLOW	448.29		MCFD/FLOW	420		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC			COMP VAC	2.5		COMP VAC			COMP VAC			COMP VAC			COMP VAC			
	BUBBLE TUBE OR PSI	8		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL	7.6	A OR (B)	WATER LEVEL	12.2	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	
DW-5	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	GPM			GPM			GPM			GPM			GPM			GPM			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	BARRELS			BARRELS			BARRELS			BARRELS			BARRELS			BARRELS			
DW-6	CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	6 Pm		TIME	4:13a		TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW	792		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		12	DIS/GPM	42	9	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE OR PSI	30		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL	40	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	
6HLG	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	12:22a		TIME			TIME			TIME			TIME			TIME			
	PSI	101		PSI			PSI			PSI			PSI			PSI			
7J BOOSTER				CHECKED BY	J.S.		CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			
				TIME	6 Pm		TIME	3:30a		TIME			TIME			TIME			
				FLOW	1394		FLOW	1375		FLOW			FLOW			FLOW			
				TOTAL	—		TOTAL	1055		TOTAL			TOTAL			TOTAL			
7I	CHECKED BY			CHECKED BY			PUMPS		5A	CHECKED BY	JL		CHECKED BY						
	TIME			TIME						TIME	12:45a		TIME						
	LEVEL			LEVEL						LEVEL	124.7		LEVEL						
										GPM	836		GPM						
										2 STATUS	open		2 STATUS						
										1&3 STATUS	run		1&3 STATUS						

VERTICAL DEGAS DAILY LOG

DATE: March 8 - March 9

7MH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:09 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	1101		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1,2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:25 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI	85		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:18 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	577		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	1,2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-5	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	GPM			GPM			GPM			GPM			GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	BARRELS			BARRELS			BARRELS			BARRELS			BARRELS		
DW-6	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:09 pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	518		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		8.5	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	15		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:49 pm		TIME			TIME			TIME			TIME		
	PSI	85		PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		
7I	CHECKED BY			CHECKED BY		PUMPS		5A		CHECKED BY	W.M.		CHECKED BY		
	TIME			TIME						TIME	3:00 pm		TIME		
	LEVEL			LEVEL						LEVEL	125.2		LEVEL		
										GPM	1155		GPM		
										2 STATUS			2 STATUS		
										1&3 STATUS	Running		1&3 STATUS		

155
25.7

VERTICAL DEGAS DAILY LOG

DATE: 10 Mar 98 — 11 Mar 98

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	12:0[illegible]m	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	1162	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI	81 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE	44	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
7LH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	11:4[illegible]m	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI	86 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
8BH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	5:5[illegible]m	TIME	4:3[illegible]m	TIME		TIME		TIME		TIME				
	MCFD/FLOW	567	MCFD/FLOW	595	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	1.2	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	80 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE	42	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	8:3[illegible]m	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	418	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	COMP VAC	2-5	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	7.6	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL				
		A OR (B)		A OR B		A OR B		A OR B		A OR B		A OR B			
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	GPM		GPM		GPM		GPM		GPM		GPM				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS				
DW-6	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	6:3[illegible]m	TIME	5:4[illegible]m	TIME		TIME		TIME		TIME				
	MCFD/FLOW	448	MCFD/FLOW	396	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM	10	DIS/GPM	48 11	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL				
		A OR B		A OR B		A OR B		A OR B		A OR B		A OR B			
6HLG	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	9:3[illegible]m	TIME	12:5[illegible]m	TIME		TIME		TIME		TIME				
	PSI	90	PSI	93	PSI		PSI		PSI		PSI				
7J BOOSTER			CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
			TIME	11:0[illegible]m	TIME		TIME		TIME		TIME				
			FLOW	1772	FLOW		FLOW		FLOW		FLOW				
			TOTAL	758	TOTAL		TOTAL		TOTAL		TOTAL				
7I	CHECKED BY		CHECKED BY		PUMPS	5A	CHECKED BY	W.M.	CHECKED BY						
	TIME		TIME				TIME	10:3[illegible]m	TIME						
	LEVEL		LEVEL				LEVEL	124.1	LEVEL						
							GPM	857	GPM						
							2 STATUS	Open	2 STATUS						
							183 STATUS	Run	183 STATUS						

VERTICAL DEGAS DAILY LOG

DATE: 2 Mar 98 — 3 Mar 98

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	1:50pm	TIME		TIME			TIME			TIME			TIME	
	MCFD/FLOW	1058	MCFD/FLOW	1246	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC	
	BUBBLE TUBE OR PSI	83	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	DISCHARGE	54	DISCHARGE	44	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE	
			Air Pressure	82											
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME		TIME		TIME			TIME			TIME			TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE	
8BH-1	CHECKED BY	J.L.	CHECKED BY	J.S.	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	1:35pm	TIME	4:03pm	TIME			TIME			TIME			TIME	
	MCFD/FLOW	524	MCFD/FLOW	582.17	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC	
	BUBBLE TUBE OR PSI	83	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	DISCHARGE	45	DISCHARGE	48	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE	
			Air Pres.	82											
DW-4	CHECKED BY	J.L.	CHECKED BY	J.S.	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	5:05pm	TIME	4:20pm	TIME			TIME			TIME			TIME	
	MCFD/FLOW	430	MCFD/FLOW	432.33	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	
	COMP VAC		COMP VAC		COMP VAC			COMP VAC			COMP VAC			COMP VAC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	9	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	WATER LEVEL	14.27 A OR B	WATER LEVEL	5.3 A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL	A OR B
DW-5	CHECKED BY		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME		TIME		TIME			TIME			TIME			TIME	
	GPM		GPM		GPM			GPM			GPM			GPM	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	BARRELS		BARRELS		BARRELS			BARRELS			BARRELS			BARRELS	
DW-6	CHECKED BY	J.L.	CHECKED BY	J.S.	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	4:09pm	TIME	3:59pm	TIME			TIME			TIME			TIME	
	MCFD/FLOW		MCFD/FLOW	405	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC	
	DIS/GPM	42 10	DIS/GPM	6	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	
	WATER LEVEL	A OR B	WATER LEVEL	3.7 A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL	A OR B
6HLG	CHECKED BY	W.M	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	2:13pm	TIME		TIME			TIME			TIME			TIME	
	PSI	90	PSI		PSI			PSI			PSI			PSI	
7J BOOSTER			CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY	
			TIME		TIME			TIME			TIME			TIME	
			FLOW		FLOW			FLOW			FLOW			FLOW	
			TOTAL		TOTAL			TOTAL			TOTAL			TOTAL	
71	CHECKED BY	J.L.	CHECKED BY		PUMPS		5A	CHECKED BY			CHECKED BY			CHECKED BY	
	TIME	12:38pm	TIME					TIME			TIME			TIME	
	LEVEL	62.81	LEVEL					LEVEL			LEVEL			LEVEL	
								GPM			GPM			GPM	
								2 STATUS			2 STATUS			2 STATUS	
								1&3 STATUS			1&3 STATUS			1&3 STATUS	

VERTICAL DEGAS DAILY LOG

DATE: 16 Mar 98 | 17 Mar 98

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:34pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1470	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	81 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE	32	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	3:05pm	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	83 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:9am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	641	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	0	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	F	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	F	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI	F	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	GPM		GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-6	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:05am	TIME	5:35pm	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	395	MCFD/FLOW	405	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	8.5	DIS/GPM	35	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI	12	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:40am	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	85	PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME		TIME		TIME		TIME		TIME		TIME		
			FLOW	1770	FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL	2718	TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		
PUMPS	7I	CHECKED BY		CHECKED BY		5A	CHECKED BY	W.M.	CHECKED BY						
		TIME		TIME			TIME	10:35am	TIME						
		LEVEL		LEVEL			LEVEL	125	LEVEL						
	8A	CHECKED BY	W.M.	CHECKED BY	J.L.		GPM	1152	GPM						
		TIME	8:05am	TIME	5:05pm		2 STATUS	Closed	2 STATUS						
		LEVEL	7.32	LEVEL	7.60		1&3 STATUS	Running	1&3 STATUS						

VERTICAL DEGAS DAILY LOG

DATE 3/15/98 to 3/16/98

7MH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	1156	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	0	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
7LH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI	82	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	592	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC	1.4	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
DW-4	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW	430	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	COMP VAC	2.5	COMP VAC		COMP VAC		COMP VAC		COMP VAC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	WATER LEVEL	5.3	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
	A OR (B)														
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	GPM		GPM		GPM		GPM		GPM						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS						
DW-6	CHECKED BY	W.M.	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	1:35p	TIME	6:10a	TIME		TIME		TIME						
	MCFD/FLOW	287	MCFD/FLOW	400	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	PSI	85	PSI		PSI		PSI		PSI						
7J BOOSTER			CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY						
			TIME	4:00a	TIME		TIME		TIME						
			FLOW		FLOW		FLOW		FLOW						
			TOTAL		TOTAL		TOTAL		TOTAL						

PUMPS									
7I	CHECKED BY		CHECKED BY		5A	CHECKED BY	WM	CHECKED BY	
	TIME		TIME			TIME		TIME	
	LEVEL		LEVEL			LEVEL	124.6	LEVEL	
8A	CHECKED BY	WM	CHECKED BY			GPM	1153	GPM	
	TIME		TIME			2 STATUS	Closed	2 STATUS	
	LEVEL	8.25	LEVEL			183 STATUS	Running	183 STATUS	

VERTICAL DEGA[redacted]AILY LOG

DATE: 17 Mar 98 | 18 Mar 98

7MH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1482	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	79	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE	32	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	82	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:19 am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	623	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.4	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI	8	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	2.6	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	GPM		GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-6	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:08 am	TIME	3:05 pm	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	582	MCFD/FLOW	414	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM	359	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI	2	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL		WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:45 pm	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	85	PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME	1:15 pm	TIME		TIME		TIME		TIME		TIME		
			FLOW	1829	FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL	2180	TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		
PUMPS	7I	CHECKED BY		CHECKED BY		5A	CHECKED BY	W.M.	CHECKED BY	J.L.					
		TIME		TIME			TIME	12:30	TIME	2:35 pm					
		LEVEL		LEVEL			LEVEL	124.2	LEVEL	124.4					
	8A	CHECKED BY		CHECKED BY			GPM	1150	GPM	1151					
		TIME		TIME			2 STATUS	closed	2 STATUS	closed					
		LEVEL		LEVEL			183 STATUS	Running	183 STATUS	Running					

VERTICAL DEGAS [redacted]Y LOG

DATE: April 16, 1998 Thursday

7MH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
8BH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE						
DW-4	CHECKED BY	F.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME	3:14 PM	TIME		TIME		TIME		TIME						
	MCFD/FLOW	712	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	WATER LEVEL	5-3 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
DW-6	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR					
DW-7	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW						
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC						
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM						
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI						
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B					
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
	TIME		TIME		TIME		TIME		TIME						
	PSI		PSI		PSI		PSI		PSI						
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
			TIME		TIME		TIME		TIME						
			FLOW		FLOW		FLOW		FLOW						
			TOTAL		TOTAL		TOTAL		TOTAL						

VERTICAL DEGA[illegible]AILY LOG

DATE: 4/18/98 Saturday

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	LG.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:00am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	625		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC			COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	6.4	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	LM		CHECKED BY	LM		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:00am		TIME	6:34am		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	3.2		VAC/SUC	3.6		VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	35	6	DIS/GPM	15	8.5	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	12		BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	9.6	(A) OR B	WATER LEVEL	5	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	LM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:30pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	1103		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.2	2.5	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	7.2	A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: Monday 4/20

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
DW-4	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	1:25		TIME			TIME			TIME			TIME			
	MCFD/FLOW	71.5		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC	—		COMP VAC			COMP VAC			COMP VAC			COMP VAC			
	BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL	5.4	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	
DW-6	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR	
DW-7	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			
	PSI			PSI			PSI			PSI			PSI			
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
				TIME			TIME			TIME			TIME			
				FLOW			FLOW			FLOW			FLOW			
				TOTAL			TOTAL			TOTAL			TOTAL			

VERTICAL DEGAS DAILY LOG

DATE: April 22, 1998 Wednesday

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	PM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:16 AM		TIME			TIME			TIME			TIME		
	MCFD/FLOW	680		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	—		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	5.3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:17 PM		TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	3.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		85	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	5	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	W.M.		CHECKED BY	J.O.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:17 PM		TIME	6:15 PM		TIME			TIME			TIME		
	MCFD/FLOW	920		MCFD/FLOW	946		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	2.5		VAC/SUC	2.9		VAC/SUC	2.9		VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	3.		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	3.76	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: Friday 4-24-98

7MH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
8BH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
DW-4	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	835 am	TIME		TIME		TIME		TIME	
	MCFD/FLOW	675	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	COMP VAC	—	COMP VAC		COMP VAC		COMP VAC		COMP VAC	
	BUBBLE TUBE OR PSI	—	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	4.15 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B
DW-6	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:22 PM	TIME	738 am	TIME		TIME		TIME	
	MCFD/FLOW	—	MCFD/FLOW	200	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	3.7 —	VAC/SUC	1	VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM	— 85	DIS/GPM	0	DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE OR PSI	10	BUBBLE TUBE OR PSI	5	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	5 (A) OR B	WATER LEVEL	6.5 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR
DW-7	CHECKED BY	0224	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	630 pm	TIME		TIME		TIME		TIME	
	MCFD/FLOW	678	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	1.0	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE OR PSI	3	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	PSI		PSI		PSI		PSI		PSI	
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
			TIME		TIME		TIME		TIME	
			FLOW		FLOW		FLOW		FLOW	
			TOTAL		TOTAL		TOTAL		TOTAL	

VERTICAL DEGAS DAILY LOG

DATE: Sunday 4/26/98

7MH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
8BH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
DW-4	CHECKED BY	Jeff	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:15PM	TIME		TIME		TIME		TIME	
	MCFD/FLOW	620	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	4.15 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B
DW-6	CHECKED BY	Bill	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	7:30PM	TIME		TIME		TIME		TIME	
	MCFD/FLOW	249	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	1.2	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE OR PSI	13	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	11.9 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR
DW-7	CHECKED BY	Willy	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	8:01AM	TIME		TIME		TIME		TIME	
	MCFD/FLOW	865	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	1.3	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE OR PSI	2.5	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	8.35 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	PSI		PSI		PSI		PSI		PSI	
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
			TIME		TIME		TIME		TIME	
			FLOW		FLOW		FLOW		FLOW	
			TOTAL		TOTAL		TOTAL		TOTAL	

VERTICAL DEGAS [redacted]Y LOG

DATE: Tuesday - 4-28-98

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	JL		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	7:52 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	610		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	3.5		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	5.3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2 Pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	220		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.6	—	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	5	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	JO		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	10:22		TIME			TIME			TIME			TIME		
	MCFD/FLOW	650		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	—	—	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	2 Feet	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: 4·30·98 Thursday

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	J.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	953 am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	624		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	2.5		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	8.75	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	J.O		CHECKED BY	JO		CHECKED BY	W.M.		CHECKED BY			CHECKED BY		
	TIME	4:45 pm		TIME	8:55 am		TIME	3:35 pm		TIME			TIME		
	MCFD/FLOW			MCFD/FLOW	220		MCFD/FLOW	165		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC		116	VAC/SUC	1	—	VAC/SUC	.4		VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL	—	A OR B	WATER LEVEL	5	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	J.O.		CHECKED BY	JM		CHECKED BY	J-O.		CHECKED BY			CHECKED BY		
	TIME	4:20 pm		TIME	8:08 pm		TIME	5:05 pm		TIME			TIME		
	MCFD/FLOW	792		MCFD/FLOW	811		MCFD/FLOW	515		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	1.8	—	VAC/SUC	2		VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM	—	—	DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	64 PSI		BUBBLE TUBE OR PSI	5		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	5'	A OR (B)	WATER LEVEL	2.6	A OR (B)	WATER LEVEL	.5	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: 18 Mar 98 — 19 Mar 98

7MH-1	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	8:47am	TIME	3:38pm	TIME		TIME		TIME		TIME		
	MCFD/FLOW	1454	MCFD/FLOW	1448	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	-	BUBBLE TUBE OR PSI	27	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE	-	DISCHARGE	33	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
	Pressure Water Column	1.0											
7LH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:08am	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	80 PSI	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:08am	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	642	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.6	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:49pm	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI	35	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	54.5 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-5	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		
	GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-6	CHECKED BY	W.M.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:32am	TIME	3:05pm	TIME		TIME		TIME		TIME		
	MCFD/FLOW	400	MCFD/FLOW	377	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	8.5	DIS/GPM	36 7	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:03am	TIME		TIME		TIME		TIME		TIME		
	PSI	84	PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME	3:13pm	TIME		TIME		TIME		TIME		
			FLOW	1755	FLOW		FLOW		FLOW		FLOW		
			TOTAL	2363	TOTAL		TOTAL		TOTAL		TOTAL		
PUMPS	7I	CHECKED BY		CHECKED BY		5A	CHECKED BY	J.L.	CHECKED BY				
		TIME		TIME			TIME	5:32pm	TIME				
		LEVEL		LEVEL			LEVEL	124.3	LEVEL				
	8A	CHECKED BY	J.L.	CHECKED BY			GPM	1144	GPM				
		TIME	7:45am	TIME			2 STATUS	closed	2 STATUS				
		LEVEL	14.12	LEVEL			1&3 STATUS	Running	1&3 STATUS				

VERTICAL DEGAS DAILY LOG

DATE: 20 Mar 98 | 21 Mar 98

7MH-1	CHECKED BY	J.S.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	7:57a	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1165	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	90	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	J.S.	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	6:08a	TIME	12:46	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	652.2	MCFD/FLOW	656	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	2.0	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI	78	BUBBLE TUBE OR PSI	76	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	J.S.	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:23a	TIME	1:17a	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	24.6	WATER LEVEL	8.4	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
		(A) OR B		(A) OR B		A OR B		A OR B		A OR B		A OR B		A OR B	
DW-7	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:36a	TIME		TIME		TIME		TIME		TIME		TIME		
	GPM	6	GPM		GPM		GPM		GPM		GPM		GPM		
	BUBBLE TUBE OR PSI	29	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		BARRELS		
DW-8	CHECKED BY	J.S.	CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:37a	TIME	1:00a	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM	33 8	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI	11	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	3.7	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		
		A OR B		A OR B		A OR B		A OR B		A OR B		A OR B		A OR B	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	PSI		PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY	JL	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME	3:00a	TIME		TIME		TIME		TIME		TIME		
			FLOW	1652	FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL	2396	TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		
PUMPS 7I		CHECKED BY		CHECKED BY		5A	CHECKED BY		CHECKED BY						
		TIME		TIME			TIME		TIME						
		LEVEL		LEVEL			LEVEL		LEVEL						
PUMPS 8A		CHECKED BY	JL	CHECKED BY			GPM		GPM						
		TIME	1:22a	TIME			2 STATUS		2 STATUS						
		LEVEL	14.79	LEVEL			1&3 STATUS		1&3 STATUS						

VERTICAL DEGAS[illegible]LY LOG

DATE: March 22 – March 23

7MH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	1418		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.8		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	L		TIME			TIME			TIME			TIME		
	MCFD/FLOW	474		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	5.0		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	FM		CHECKED BY	FM		CHECKED BY	WM		CHECKED BY			CHECKED BY		
	TIME	6:22p		TIME	7:44p		TIME			TIME			TIME		
	MCFD/FLOW	862		MCFD/FLOW	840		MCFD/FLOW	826		MCFD/FLOW			MCFD/FLOW		
	COMP VAC			COMP VAC			COMP VAC	4		COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	2.75	(A) OR B	WATER LEVEL	3.9	(A) OR B	WATER LEVEL	0.7	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW	377		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM		10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	32	7.5	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		
7J BOOSTER	CHECKED BY			CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME	2:05pm		TIME			TIME			TIME		
	FLOW			FLOW	1835		FLOW			FLOW			FLOW		
	TOTAL			TOTAL	1339		TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: 24 Mar 98 — 25 Mar 98

7MH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	11:49		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	1230		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	20		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	6:57		TIME			TIME			TIME			TIME			TIME			
	MCFD/FLOW	405		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC	5.5		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			
DW-4	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	5:47		TIME	11:45		TIME	4:33		TIME			TIME			TIME			
	MCFD/FLOW	665		MCFD/FLOW	820		MCFD/FLOW	816		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	COMP VAC	4		COMP VAC	4.5		COMP VAC	4.5		COMP VAC			COMP VAC			COMP VAC			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	22.0		BUBBLE TUBE OR PSI	22.0		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL	3	A OR (B)	WATER LEVEL	12.35	A OR (B)	WATER LEVEL	12.2	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	
DW-6	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME			TIME	12:35		TIME			TIME			TIME			TIME			
	MCFD/FLOW	388		MCFD/FLOW	390		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM		45	DIS/GPM	42	10	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL		A OR B	WATER LEVEL		(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR	
DW-7	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			
	TIME	6:13		TIME	12:35		TIME	4:19		TIME	6:13		TIME			TIME	9:35		
	MCFD/FLOW	542		MCFD/FLOW	592		MCFD/FLOW	556		MCFD/FLOW	560		MCFD/FLOW			MCFD/FLOW	170		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			
	DIS/GPM	50	10	DIS/GPM	44	12	DIS/GPM	42	13	DIS/GPM	42	12	DIS/GPM			DIS/GPM			
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			
	WATER LEVEL		A OR B	WATER LEVEL	75.6	(A) OR B	WATER LEVEL	73.3	(A) OR B	WATER LEVEL	73.3	(A) OR B	WATER LEVEL			WATER LEVEL	27	(A) OR B	
6HLG	CHECKED BY	W.M.		CHECKED BY	J.L.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
	TIME	5:45		TIME	1:05		TIME			TIME			TIME			TIME			
	PSI	75		PSI	77		PSI			PSI			PSI			PSI			
7J BOOSTER				CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			
				TIME	10:35		TIME			TIME			TIME			TIME			
				FLOW	2133		FLOW			FLOW			FLOW			FLOW			
				TOTAL			TOTAL			TOTAL			TOTAL			TOTAL			

7I
35.25

VERTICAL DEGAS[illegible]LY LOG

DATE: 26 May 98 27 May 98

7MH-1	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	10:30a	TIME	2:19p	TIME		TIME		TIME	
	MCFD/FLOW	965	MCFD/FLOW	1020	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC	24	VAC/SUC	34	VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	90	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME		TIME		TIME		TIME		TIME	
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
8BH-1	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	12:09p	TIME		TIME		TIME		TIME	
	MCFD/FLOW	368	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	BUBBLE TUBE OR PSI	81	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	DISCHARGE	46	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE	
DW-4	CHECKED BY	J.L.	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	11:39a	TIME	5:09p	TIME		TIME		TIME	
	MCFD/FLOW	862	MCFD/FLOW	851	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	COMP VAC	4.5	COMP VAC	5	COMP VAC		COMP VAC		COMP VAC	
	BUBBLE TUBE OR PSI	21 o/s	BUBBLE TUBE OR PSI	22 o/s	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	12.2	WATER LEVEL	11.05	WATER LEVEL		WATER LEVEL		WATER LEVEL	
		A OR (B)		A OR (B)		A OR B		A OR B		A OR B
DW-6	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	5:39p	TIME		TIME		TIME		TIME	
	MCFD/FLOW	369	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM	45 10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM	
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL	
		A OR B		A OR B		A OR B		A OR B		A OR
DW-7	CHECKED BY	DT	CHECKED BY	J.L.	CHECKED BY	J.L.	CHECKED BY	J.L.	CHECKED BY	
	TIME	4:50pm	TIME	11:15a	TIME	4:39p	TIME	6:09p	TIME	
	MCFD/FLOW	940	MCFD/FLOW	431	MCFD/FLOW	625	MCFD/FLOW	577	MCFD/FLOW	
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC	
	DIS/GPM	70 12	DIS/GPM	44 10	DIS/GPM	50 6	DIS/GPM	46 11	DIS/GPM	
	BUBBLE TUBE OR PSI	24	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	
	WATER LEVEL	33	WATER LEVEL	36.5	WATER LEVEL	50.3	WATER LEVEL	54.9	WATER LEVEL	
		(A) OR B		(A) OR B		(A) OR B		(A) OR B		A OR B
6HLG	CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY		CHECKED BY	
	TIME	9:30p	TIME	2:39p	TIME		TIME		TIME	
	PSI	75	PSI	78	PSI		PSI		PSI	
7J BOOSTER			CHECKED BY	WM	CHECKED BY	J.L.	CHECKED BY		CHECKED BY	
			TIME	11:59a	TIME	2:09p	TIME		TIME	
			FLOW	1927	FLOW	2069	FLOW		FLOW	
			TOTAL		TOTAL	2553	TOTAL		TOTAL	

VERTICAL DEGA[illegible]AILY LOG

DATE: 3/28 to 3/29/98

7MH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1080	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	.7	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	12:20p	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	345	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	WM	CHECKED BY	LWM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:08p	TIME	7:24am	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	815	MCFD/FLOW	815	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	5	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	.75 A OR (B)	WATER LEVEL	.7 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
DW-6	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:45p	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	372	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR			
DW-7	CHECKED BY	0221e	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	7:00p	TIME	10:30p	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1650	MCFD/FLOW	1070	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM	10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	30	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	15 (A) OR B	WATER LEVEL	27.3 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
6HLG	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:45a	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	70	PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME	1:45a	TIME		TIME		TIME		TIME		TIME		
			FLOW	2515	FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL	1680	TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		

3-[redacted]98

VERTICAL DEGAS[redacted]LY LOG

DATE:

7MH-1	CHECKED BY	W.M		CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:45pm		TIME	6:03pm		TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW	1043		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC	.4		VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	2:10pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	312		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI	4.6 oz/in		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	12:38pm		TIME	10:53		TIME			TIME			TIME		
	MCFD/FLOW	830		MCFD/FLOW	845		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	4		COMP VAC	4		COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	7.6	A OR (B)	WATER LEVEL	9.9	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	1:13pm		TIME			TIME			TIME			TIME		
	MCFD/FLOW	347		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	65	12	DIS/GPM			DIS/GPM			DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR
DW-7	CHECKED BY	WM		CHECKED BY	W M		CHECKED BY	JL		CHECKED BY	W.M.		CHECKED BY		
	TIME	12:00a		TIME	5:09pm		TIME	12:39		TIME			TIME		
	MCFD/FLOW	1237		MCFD/FLOW	1200		MCFD/FLOW	1134		MCFD/FLOW	1063		MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC	—	—	VAC/SUC			VAC/SUC		
	DIS/GPM	70	12	DIS/GPM		10	DIS/GPM	72	10	DIS/GPM	62	15	DIS/GPM		
	BUBBLE TUBE OR PSI	16		BUBBLE TUBE OR PSI	16		BUBBLE TUBE OR PSI	—		BUBBLE TUBE OR PSI	22		BUBBLE TUBE OR PSI		
	WATER LEVEL		A OR B	WATER LEVEL	L	A OR B	WATER LEVEL	27.3	(A) OR B	WATER LEVEL	36.5	(A) OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:09pm		TIME			TIME			TIME			TIME		
	PSI	65		PSI			PSI			PSI			PSI		
7J BOOSTER	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	FLOW			FLOW			FLOW			FLOW			FLOW		
	TOTAL			TOTAL			TOTAL			TOTAL			TOTAL		

4[redacted]98

12:[redacted]Am

VERTICAL DEGAS DAILY LOG

DATE:

7MH-1	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	5:3[redacted]Am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	1132		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	.2		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	W.M.		CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	3:0[redacted]Am		TIME	10:5[redacted]Am		TIME			TIME			TIME		
	MCFD/FLOW	356		MCFD/FLOW	325		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	44		VAC/SUC	4.2		VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	W.M		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:5[redacted]Am		TIME			TIME			TIME			TIME		
	MCFD/FLOW	765		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC	4		COMP VAC			COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	3	A OR (B)	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-6	CHECKED BY	FM		CHECKED BY	FM		CHECKED BY	W.M		CHECKED BY			CHECKED BY		
	TIME	9:2[redacted]		TIME	12:3[redacted]		TIME	11:2[redacted]Am		TIME			TIME		
	MCFD/FLOW			MCFD/FLOW	390		MCFD/FLOW	345		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM		10	DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	38	(A) OR B	WATER LEVEL	11	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
DW-7	CHECKED BY	W/M		CHECKED BY	DT		CHECKED BY	W.M.		CHECKED BY			CHECKED BY		
	TIME	6:5[redacted]Am		TIME	120pm		TIME	9:3[redacted]Am		TIME			TIME		
	MCFD/FLOW	1254		MCFD/FLOW	1503		MCFD/FLOW	1072		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	—	—	VAC/SUC	2mHG		VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	62	10	DIS/GPM	42	12	DIS/GPM	68	10	DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	14 Bi		BUBBLE TUBE OR PSI	12		BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	18.1	(A) OR B	WATER LEVEL	10	(A) OR B	WATER LEVEL	8.9	(A) OR B	WATER LEVEL		A OR B	WATER LEVEL		A OR B
6HLG	CHECKED BY	W.M.		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	4:0[redacted]Am		TIME			TIME			TIME			TIME		
	PSI	90		PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

VERTICAL DEGAS DI[redacted] LOG

DATE: 4/4/98

7MH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
7LH-1	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
8BH-1	CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	11:00p		TIME			TIME			TIME			TIME		
	MCFD/FLOW	433		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	VAC/SUC	5		VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE			DISCHARGE		
DW-4	CHECKED BY	FM		CHECKED BY	WM		CHECKED BY			CHECKED BY			CHECKED BY		
	TIME	9:10a		TIME	9:30p		TIME			TIME			TIME		
	MCFD/FLOW	760		MCFD/FLOW	705		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW		
	COMP VAC			COMP VAC	5		COMP VAC			COMP VAC			COMP VAC		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	7		WATER LEVEL	3		WATER LEVEL			WATER LEVEL			WATER LEVEL		
		A OR (B)			A OR (B)			A OR B			A OR B			A OR B		
DW-6	CHECKED BY	FM		CHECKED BY	MC		CHECKED BY	WM		CHECKED BY			CHECKED BY		
	TIME	6:36a		TIME	342pm		TIME	11:33p		TIME			TIME		
	MCFD/FLOW	330		MCFD/FLOW			MCFD/FLOW	317		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM			DIS/GPM			DIS/GPM		10	DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	14		WATER LEVEL			WATER LEVEL			WATER LEVEL			WATER LEVEL		
		(A) OR B			A OR B			A OR B			A OR B			A OR B		
DW-7	CHECKED BY	DT		CHECKED BY	JO		CHECKED BY	WM		CHECKED BY			CHECKED BY		
	TIME	7:48a		TIME	330pm		TIME	8:30p		TIME			TIME		
	MCFD/FLOW	1368		MCFD/FLOW	1430		MCFD/FLOW	1440		MCFD/FLOW			MCFD/FLOW		
	VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC			VAC/SUC		
	DIS/GPM	38	9	DIS/GPM			DIS/GPM	38	10	DIS/GPM			DIS/GPM		
	BUBBLE TUBE OR PSI	7		BUBBLE TUBE OR PSI	7		BUBBLE TUBE OR PSI	10		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI		
	WATER LEVEL	-		WATER LEVEL	-		WATER LEVEL	8.9		WATER LEVEL			WATER LEVEL		
		A OR B			A OR B			(A) OR B			A OR B			A OR B		
6HLG	CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
	TIME			TIME			TIME			TIME			TIME		
	PSI			PSI			PSI			PSI			PSI		
7J BOOSTER				CHECKED BY			CHECKED BY			CHECKED BY			CHECKED BY		
				TIME			TIME			TIME			TIME		
				FLOW			FLOW			FLOW			FLOW		
				TOTAL			TOTAL			TOTAL			TOTAL		

98

8BH-1

.35 02 Chemray meter

VERTICAL DEGAS DAILY LOG

MH 1.18

DATE:

7MH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	4:30a	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	1380	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	.5	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
8BH-1	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	6:30a	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	387	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	1.8	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
DW-4	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	12:00pm	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	715	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	3 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
DW-8	CHECKED BY	WM	CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	1:00pm	TIME	6:45	TIME		TIME		TIME		TIME				
	MCFD/FLOW	332	MCFD/FLOW	330	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC	— —	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM	10	DIS/GPM	— 10	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI	10	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	A OR B	WATER LEVEL	5 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
DW-7	CHECKED BY	WM	CHECKED BY	W.M.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	1:30a	TIME	10:03am	TIME		TIME		TIME		TIME				
	MCFD/FLOW	1325	MCFD/FLOW	1345	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM	6	DIS/GPM	32 8.5	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE OR PSI	7	BUBBLE TUBE OR PSI	7	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	2 (A) OR B	WATER LEVEL	2 (A) OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B			
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	PSI		PSI		PSI		PSI		PSI		PSI				
7J BOOSTER			CHECKED BY	WM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
			TIME	2:32a	TIME		TIME		TIME		TIME				
			FLOW	1470	FLOW		FLOW		FLOW		FLOW				
			TOTAL	1126	TOTAL		TOTAL		TOTAL		TOTAL				

VERTICAL DEGAS [redacted] LCG

DATE: April 8, 1998

7MH-1	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	5:55a	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1384	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	.4	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8SH-1	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:9a	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	437	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	1.0	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:0[illegible]	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	420	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC	4	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	[illegible]	7	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		
	WATER LEVEL	9.9 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-6	CHECKED BY	W.M	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1:3[illegible]	TIME	4:1[illegible]	TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	320	MCFD/FLOW	320	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	3.2	VAC/SUC	3.7 –	VAC/SUC	3.8	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	28 8.5	DIS/GPM	28 –	DIS/GPM	16	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	[illegible]	8	[illegible]		[illegible]	11	[illegible]		[illegible]		[illegible]		[illegible]		
	WATER LEVEL	.4 A OR B	WATER LEVEL	.5 A OR B	WATER LEVEL	12-7 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
		[redacted]													
DW-7	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	11:9[illegible]	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1535	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM	.5	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		[illegible]		
	WATER LEVEL	26 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY	W.M	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	2:3[illegible]	TIME		TIME		TIME		TIME		TIME		TIME		
	PSI	85PSI	PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME		TIME		TIME		TIME		TIME		TIME		
			FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: April 10, 1998

7MH-1	CHECKED BY	W.M.	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	3:05pm	TIME		TIME			TIME			TIME				
	MCFD/FLOW	1508	MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	DISCHARGE	22	DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE				
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME		TIME		TIME			TIME			TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE				
8BH-1	CHECKED BY		CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME		TIME		TIME			TIME			TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE			DISCHARGE			DISCHARGE				
DW-4	CHECKED BY	W.M.	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:25am	TIME		TIME			TIME			TIME				
	MCFD/FLOW	750	MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	COMP VAC	5	COMP VAC		COMP VAC			COMP VAC			COMP VAC				
	BUBBLE TUBE OR PSI	5.5	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	WATER LEVEL	13.38	WATER LEVEL		WATER LEVEL			WATER LEVEL			WATER LEVEL				
		A OR (B)		A OR B		A OR B			A OR B			A OR B			A OR B	
DW-6	CHECKED BY	W.M.	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	6:29pm	TIME		TIME			TIME			TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM	20	DIS/GPM		DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE OR PSI	10	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	WATER LEVEL	5	WATER LEVEL		WATER LEVEL			WATER LEVEL			WATER LEVEL				
		(A) OR B		A OR B		A OR B			A OR B			A OR B			A OR	
DW-7	CHECKED BY	W/M	CHECKED BY	W.M.	CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	11:15 Pm	TIME	9:35am	TIME			TIME			TIME				
	MCFD/FLOW	1512	MCFD/FLOW	1473	MCFD/FLOW			MCFD/FLOW			MCFD/FLOW				
	VAC/SUC	— —	VAC/SUC		VAC/SUC			VAC/SUC			VAC/SUC				
	DIS/GPM	32 85	DIS/GPM	30 5	DIS/GPM			DIS/GPM			DIS/GPM				
	BUBBLE TUBE OR PSI	GPSI	BUBBLE TUBE OR PSI	4	BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI			BUBBLE TUBE OR PSI				
	WATER LEVEL	.3	WATER LEVEL	4.9	WATER LEVEL			WATER LEVEL			WATER LEVEL				
		A OR (B)		A OR B		A OR B			A OR B			A OR B			A OR B	
6HLG	CHECKED BY	W.M.	CHECKED BY		CHECKED BY			CHECKED BY			CHECKED BY				
	TIME	5:39pm	TIME		TIME			TIME			TIME				
	PSI	90	PSI		PSI			PSI			PSI				
7J BOOSTER			CHECKED BY	W.M.	CHECKED BY			CHECKED BY			CHECKED BY				
			TIME	5:44pm	TIME			TIME			TIME				
			FLOW	1380	FLOW			FLOW			FLOW				
			TOTAL	1242	TOTAL			TOTAL			TOTAL				

VERTICAL DEGAS[illegible]ILY LOG

DATE: 4-12-98

7MH-1	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	1100	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	1394	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC	/	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
8BH-1	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:47AM	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	382	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		
DW-4	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:39	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW	810	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	15 A OR (B)	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
DW-6	CHECKED BY	FM.	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	9:29am	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	9 A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR	
DW-7	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME	10:15AM	TIME		TIME		TIME		TIME		TIME		TIME		
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		
	BUBBLE TUBE OR PSI	7	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		
	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	WATER LEVEL	A OR B	
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
	TIME		TIME		TIME		TIME		TIME		TIME		TIME		
	PSI		PSI		PSI		PSI		PSI		PSI		PSI		
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		
			TIME		TIME		TIME		TIME		TIME		TIME		
			FLOW		FLOW		FLOW		FLOW		FLOW		FLOW		
			TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		TOTAL		

VERTICAL DEGAS DAILY LOG

DATE: 4-14-98

7MH-1	CHECKED BY	LG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	10:17 AM	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	1117	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	0 | —	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI	—	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE	31	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
7LH-1	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
8BH-1	CHECKED BY	JO	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	10:01 AM	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	325	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	1.5 | —	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	BUBBLE TUBE OR PSI	—	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	DISCHARGE	—	DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE		DISCHARGE				
		—													
DW-4	CHECKED BY	LG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	9:37 AM	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	702	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	COMP VAC	—	COMP VAC		COMP VAC		COMP VAC		COMP VAC		COMP VAC				
	BUBBLE TUBE OR PSI	—	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	0.4	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL				
		A OR (B)		A OR B		A OR B		A OR B		A OR B		A OR B			
DW-6	CHECKED BY	FM	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME	9:20 AM	TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW	390	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC	— | —	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM	— | —	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE OR PSI	—	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL	11	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL				
		(A) OR B		A OR B		A OR B		A OR B		A OR B		A OR			
DW-7	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW		MCFD/FLOW				
	VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC		VAC/SUC				
	DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM		DIS/GPM				
	BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI		BUBBLE TUBE OR PSI				
	WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL		WATER LEVEL				
		A OR B		A OR B		A OR B		A OR B		A OR B		A OR B			
6HLG	CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY				
	TIME		TIME		TIME		TIME		TIME		TIME				
	PSI		PSI		PSI		PSI		PSI		PSI				
7J BOOSTER			CHECKED BY		CHECKED BY		CHECKED BY		CHECKED BY						
			TIME		TIME		TIME		TIME						
			FLOW		FLOW		FLOW		FLOW						
			TOTAL		TOTAL		TOTAL		TOTAL						

7MH #2 DEGAS COMPLETE

LG 10:55am 825 FLOW 29 DISCHARGE 2.0 VAC UNDER